
Ethicon **Product Catalog**



Products by Category



Product by Specialty







At Ethicon we are committed to addressing the world's most pressing healthcare issues by advancing technologies, research and training, and working with healthcare providers across a diverse set of specialties to help improve outcomes and expand access to quality surgical care.

Learn more about:














Order online with the new J&J Customer Connect








Your connection to the products and solutions that are paving the way to healthier futures.

Manage Johnson & Johnson medical device orders and product-related information all in one location.

- Place orders and check order status
- Generate price inquiries
- View product availability and set alert preferences
- Manage order-related inquires online (e.g., product returns, disputes)



Run detailed reports



Learn more about the portfolio on <u>jnjmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Access products.

ENDOPATH XCEL® Bladeless Trocars with OPTIVIEW® Technology

5mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------|----------------|--------------|-----------|-------|
| <u>2B5ST</u> | 5mm | 75mm | Stability | 6 |
| <u>2B5LT</u> | 5mm | 100mm | Stability | 6 |
| <u>2B5XT</u> | 5mm | 150mm | Stability | 6 |
| <u>2B12LT</u> | 12mm | 100mm | Stability | 6 |
| <u>2B12XT</u> | 12mm | 150mm | Stability | 6 |

ENDOPATH XCEL® BluntTip Trocar with OPTIVIEW® Technology 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------|----------------|--------------|--------|-------|
| <u>2H12LP</u> | 12mm | 100mm | Smooth | 6 |

ENDOPATH XCEL® DilatingTip Trocar with OPTIVIEW® Technology

5mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------|----------------|--------------|-----------|-------|
| 2D5ST | 5mm | 75mm | Stability | 6 |
| <u>2D5LT</u> | 5mm | 100mm | Stability | 6 |
| <u>2D12LT</u> | 12mm | 100mm | Stability | 6 |
| 2D12XT | 12mm | 150mm | Stability | 6 |

ENDOPATH XCEL® Universal Sleeves with OPTIVIEW® Technology 5mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|-----------|-------|
| 2CB5ST | 5mm | 75mm | Stability | 6 |
| 2CB5LT | 5mm | 100mm | Stability | 6 |
| 2CB12LT | 12mm | 100mm | Stability | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Access products.

ENDOPATH XCEL® Bladeless Trocars 5mm, 8mm, 11mm, 12mm, 15mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------|----------------|-------------------|-----------|-------|
| <u>B5ST</u> | 5mm | 75mm | Stability | 6 |
| <u>B5LT</u> | 5mm | 100mm | Stability | 6 |
| <u>B5XT</u> | 5mm | 150mm | Stability | 6 |
| <u>B8LT</u> | 8mm | 100mm | Stability | 6 |
| <u>B11LT</u> | 11mm | 100mm | Stability | 6 |
| <u>B11LP</u> | 11mm | 100mm | Smooth | 6 |
| <u>B11LTH</u> | 11mm | 100mm, handled | Stability | 6 |
| <u>B11LPH</u> | 11mm | 100mm, handled | Smooth | 6 |
| B12SRT | 12mm | 75mm | Stability | 6 |
| B12LT | 12mm | 100mm | Stability | 6 |
| B12LP | 12mm | 100mm | Smooth | 6 |
| B12LTH | 12mm | 100mm, handled | Stability | 6 |
| B12LPH | 12mm | 100mm, handled | Smooth | 6 |
| <u>B12XT</u> | 12mm | 150mm | Stability | 6 |
| <u>B15LT</u> | 15mm | 100mm | Stability | 6 |

ENDOPATH XCEL® DilatingTip Trocars 5mm, 11mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------------|----------------|--------------|-----------|-------|
| <u>D5ST</u> | 5mm | 75mm | Stability | 6 |
| D5LT | 5mm | 100mm | Stability | 6 |
| <u>D11LT</u> | 11mm | 100mm | Stability | 6 |
| D12LT | 12mm | 100mm | Stability | 6 |
| <u>D12XT</u> | 12mm | 150mm | Stability | 6 |

ENDOPATH XCEL® BluntTip Trocar 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|--------|-------|
| H12LP | 12mm | 100mm | Smooth | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Access products.

ENDOPATH XCEL® Universal Sleeves 5mm, 11mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|-----------|-------|
| <u>CB5ST</u> | 5mm | 75mm | Stability | 6 |
| <u>CB5LT</u> | 5mm | 100mm | Stability | 6 |
| CB11LT | 11mm | 100mm | Stability | 6 |
| CB12LT | 12mm | 100mm | Stability | 6 |

ENDOPATH BASX® Bladeless Trocars 5mm, 11mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------------|----------------|--------------|-----------|-------|
| TB5ST | 5mm | 75mm | Stability | 6 |
| TB5LT | 5mm | 100mm | Stability | 6 |
| TB11LT | 11mm | 100mm | Stability | 6 |
| TB12ST | 12mm | 75mm | Stability | 6 |
| TB12LT | 12mm | 150mm | Stability | 6 |

ENDOPATH BASX® Universal Sleeves 5mm, 11mm, 12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------------|----------------|--------------|-----------|-------|
| CTB5ST | 5mm | 75mm | Stability | 6 |
| CTB5LT | 5mm | 100mm | Stability | 6 |
| CTB11LT | 11mm | 100mm | Stability | 6 |
| CTB12LT | 12mm | 100mm | Stability | 6 |

ENDOPATH® Mini/Micro Trocars Nonoptical

2mm/3mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|--------|-------|
| <u>23NBS</u> | 2mm/3mm | 65mm | Smooth | 6 |
| <u>23NBL</u> | 2mm/3mm | 100mm | Smooth | 6 |

ENDOPATH® Non-Shielded Trocars



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|--------------|-------|
| <u>355NS</u> | 5mm | 65mm | Non-shielded | 6 |
| <u>35LNS</u> | 5mm | 100mm | Non-shielded | 6 |

ENDOPATH® Rigid Thoracic Trocar 10mm/12mm



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|--------------|----------------|--------------|--------|-------|
| <u>TTO12</u> | 10mm/12mm | 75mm | Rigid | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Access products.

FLEXIPATH® Flexible Thoracic Trocars



| Product Code | Shaft Diameter | Shaft Length | Sleeve | EA/BX |
|---------------------|----------------|--------------|----------|-------|
| <u>FP007</u> | 7mm | 80mm | Flexible | 6 |
| <u>FP015</u> | 15mm | 80mm | Flexible | 6 |
| <u>FP020</u> | 20mm | 80mm | Flexible | 6 |

FLEXIPATH® Flexible Thoracic Trocar Pack



| Product Code | Description | EA/BX |
|--------------|--|-------|
| <u>FPKO2</u> | Contains: (1) 15mm obturator and (3) 15mm flexible sleeves | 6 |

ENDOPATH DEXTRUS® Minimally Invasive Access System



| Product Code | Description | Abdominal Wall Thickness | EA/BX |
|--------------|--|-----------------------------|-------|
| FLRO1 | Fixed-length access retractor- small | <4cm | 6 |
| FLRO2 | Fixed-length access retractor- medium | 4-7cm | 6 |
| FLRO3 | Fixed-length access retractor- large | >7cm | 6 |
| HAPO2 | Seal cap assembly with accessories | N/A | 3 |

ENDOPATH® Insufflation Needles Pneumoperitoneum



| Product Code | Shaft Length | EA/BX |
|---------------------|--------------|-------|
| <u>PN120</u> | 120mm | 12 |
| <u>PN150</u> | 150mm | 12 |

ENDOPATH® Insufflation Needle Ultra Veress



| Product Code | Shaft Length | EA/BX |
|---------------------|--------------|-------|
| <u>UV120</u> | 120mm | 12 |

Learn more about the portfolio on <u>injmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Adjunctive Hemostats products.

SURGICEL SNoW® Hemostat



| Product Code | Size | EA/BX |
|--------------|-----------|-------|
| <u>2081</u> | 1in x 2in | 10 |
| <u>2082</u> | 2in x 4in | 10 |
| <u>2083</u> | 4in x 4in | 10 |

SURGICEL® FIBRILLAR™ Hemostat



| Product Code | Size | EA/BX |
|--------------|-----------|-------|
| <u>1961</u> | 1in x 2in | 10 |
| <u>1962</u> | 2in x 4in | 10 |
| <u>1963</u> | 4in x 4in | 10 |

SURGICEL® NU-KNIT™ Hemostat



| Product Code | Size | EA/BX |
|---------------------|-----------|-------|
| <u>1943</u> | 3in x 4in | 24 |
| <u>1946</u> | 6in x 9in | 10 |

SURGICEL® Original Hemostat



| Product Code | Size | EA/BX |
|---------------------|-------------|-------|
| <u>1951</u> | 2in x 14in | 24 |
| <u>1952</u> | 4in x 8in | 24 |
| <u>1953</u> | 2in x 3in | 24 |
| <u>1955</u> | 0.5in x 2in | 24 |

SURGICEL® Powder Absorbable Hemostat



| Product Code | Size | EA/BX |
|---------------|---------|-------|
| <u>3013SP</u> | 3 grams | 5 |

SURGICEL™ Endoscopic Applicator



| Product Code | Size | EA/BX |
|--------------|-------------------------|-------|
| 3123SPEA | 2-in-1 Applicator; 38cm | 5 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Adjunctive Hemostats products.

SURGIFOAM® Absorbable Gelatin Powder



| Product Code | Description | EA/BX |
|---------------------|-------------|-------|
| <u>1978</u> | 1.Og | 6 |

SURGIFOAM® Absorbable Gelatin Powder Kit



| Product Code | Description | EA/BX |
|---------------------|-------------|-------|
| <u>1979</u> | 1.Og | 6 |

SURGIFOAM® Absorbable Gelatin Sponge



| Product Code | Size | EA/BX |
|---------------------|---------------------------|-------|
| <u>1972</u> | 2cm x 6cm x 7mm (12-7) | 12 |
| <u>1973</u> | 8cm x 6.25cm x 10mm (50) | 4 |
| <u>1974</u> | 8cm x 12.5cm x 10mm (100) | 6 |
| <u>1975</u> | 8cm x 12.5cm x 2mm (100c) | 6 |

SURGIFOAM® Absorbable Gelatin Sponge Hemorrhoidectomy Sponge



| Product Code | Size | EA/BX |
|--------------|-----------|-------|
| <u>1977</u> | 8cm x 3cm | 5 |

EVARREST® Fibrin Sealant Patch



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>EVT5024</u> | EVARREST® Fibrin Sealant Patch 2in x 4in (5.1cm x 10.2cm) | 2 |

SURGIFLO® Hemostatic Matrix



| Product Code | Description | EA/BX |
|--------------|---|-------|
| <u>2994</u> | SURGIFLO® Hemostatic Matrix Kit with thrombin (fully sterile) 8mL | 6 |
| <u>2991</u> | SURGIFLO® Hemostatic Matrix 8mL | 6 |
| MS1995 | SURGIFLO® Endoscopic Applicator 34cm | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Adjunctive Hemostats products.

VISTASEAL™ Fibrin Sealant (Human)



| Product Code | Product Description | EA/KIT |
|---------------------|---|--------|
| <u>VSTO2</u> | VISTASEAL™ Fibrin Sealant (Human), 2mL | 1 |
| <u>VSTO4</u> | VISTASEAL™ Fibrin Sealant (Human), 4mL | 1 |
| <u>VST10</u> | VISTASEAL™ Fibrin Sealant (Human), 10mL | 1 |
| <u>04VST10</u> | VISTASEAL™ Fibrin Sealant (Human) 10mL- 4 pack Kit | 4 |
| <u>12VST10</u> | VISTASEAL™ Fibrin Sealant (Human) 10mL- 12 pack Kit | 12 |
| <u>04VST04</u> | VISTASEAL™ Fibrin Sealant (Human) 4mL- 4 pack Kit | 4 |
| <u>12VSTO4</u> | VISTASEAL™ Fibrin Sealant (Human) 4mL- 12 pack Kit | 12 |
| VSTL35 | VISTASEAL™ Laparoscopic Dual Applicator 35cm Rigid | 3 |
| VSTL45 | VISTASEAL™ Laparoscopic Dual Applicator 45cm Flexible | 3 |

EVICEL® Fibrin Sealant (Human)



| Product Code | Description | EA/BX |
|----------------|--|-------|
| <u>3905</u> | EVICEL® 5mL Kit | 1 |
| 3902 | EVICEL® 2mL Kit | 1 |
| <u>3921S</u> | EVICEL® Airless Spray Accessory (1 gray connector and 3 airless spray accessory (ASA)Tips per pouch) | 1 |
| <u>3920</u> | EVICEL® 4cm Control tip (set of10) | 1 |
| 3909 | EVICEL® 45cm Flexible Applicator tip (set of 3) | 1 |
| <u>3908</u> | EVICEL® 35cm Rigid Applicator tip (set of 3) | 1 |
| <u>3905ASA</u> | 10 Each of ES of 3905 and 1 Box of 3921S | 1 |
| <u>3902ASA</u> | 10 Each of ES of 3902 and 1 Box of 3912S | 1 |
| 3901ASA | 10 Each of ES of 3901 and 1 Box of 3921S | 1 |
| <u>3901</u> | EVICEL® 1mL Kit | 1 |

Learn more about the portfolio on <u>jnjmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

HARMONIC® HD 1000i Shears



| Product Code | Shaft Diameter | Shaft Length | Tip | EA/BX |
|---------------------|----------------|--------------|--------|-------|
| HARHD20 | 5mm | 20cm | Curved | 6 |
| HARHD36 | 5mm | 36cm | Curved | 6 |

HARMONIC ACE®+7 Shears



| Product Code | Shaft Diameter | Shaft Length | Tip | EA/BX |
|---------------------|----------------|--------------|--------|-------|
| HARH23 | 5mm | 23cm | Curved | 6 |
| HARH36 | 5mm | 36cm | Curved | 6 |
| HARH45 | 5mm | 45cm | Curved | 6 |

HARMONIC ACE®+ Shears



| Product Code | Shaft Diameter | Shaft Length | Tip | EA/BX |
|--------------|----------------|--------------|--------|-------|
| HAR23 | 5mm | 23cm | Curved | 6 |
| HAR36 | 5mm | 36cm | Curved | 6 |

HARMONIC FOCUS®+ Shears



| Product Code | Length | Tip | EA/BX |
|--------------|--------|--------|-------|
| HAR9F | 9cm | Curved | 6 |

HARMONIC FOCUS®+ Long Shears



| Product Code | Length | Tip | EA/BX |
|--------------|--------|--------|-------|
| HAR17F | 17cm | Curved | 6 |

HARMONIC SYNERGY® Blades



| Product Code | Shaft Length | Tip | EA/BX |
|--------------|------------------|------------------|-------|
| <u>SNGCB</u> | Adjustable 4-9cm | Curved | 6 |
| <u>SNGHK</u> | Adjustable 4-9cm | Hook | 6 |
| SNGHK2 | Adjustable 4-9cm | Combination Hook | 6 |

HARMONIC® Blades



| Product Code | Shaft Diameter | Shaft Length | Tip | EA/BX |
|---------------------|----------------|--------------|--------|-------|
| HC325 | 5mm | 32cm | Curved | 6 |
| HDHO5 | 5mm | 32cm | Hook | 6 |
| HBCO5 | 5mm | 31cm | Ball | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

HARMONIC® Hand Piece



| Product Code | Compatible with | EA/BX |
|---------------------|--|-------|
| <u>HP054</u> | HAR23, HAR36, HARH23, HARH36, HARH45, HBC05, | 1 |
| | HC325, HDH05 | 1 |

HARMONIC® BLUE Hand Piece



| Product Code | Compatible with | EA/BX |
|---------------|-------------------------------------|-------|
| <u>HPBLUE</u> | HAR9F, HAR17F, SNGCB, SNGHK, SNGHK2 | 1 |

HARMONIC® Accessories

| Product Code | Description | EA/BX |
|---------------|--|-------|
| <u>HAOSSL</u> | HARMONIC ACE® 5mm open sleeve | 6 |
| HP54CTA | HARMONIC® Hand Piece cleaning tool | 1 |
| HSAO8 | Disposable hand switch adapter (only use with HPO54) | 3 |
| HSTO1 | Sterilization tray | 1 |
| HSTO2 | TestTip for HP054 | 1 |
| TLBO1 | Torque lock blade wrench | 2 |
| <u>TTBLUE</u> | TestTip for HPBLUE | 1 |

ENSEAL® X1 Large Jaw



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|---------------------|----------------|--------------|--------|-------|
| NSLX120L | 13mm | 20cm | Curved | 6 |

ENSEAL® G2 Articulating Tissue Sealers



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|---------------------|----------------|--------------|----------|-------|
| NSLG2C35A | 5mm | 35cm | Curved | 6 |
| NSLG2C45A | 5mm | 45cm | Curved | 6 |
| NSLG2S35A | 5mm | 35cm | Straight | 6 |
| NSLG2S45A | 5mm | 45cm | Straight | 6 |

ENSEAL® G2 Curved Tissue Sealers



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|---------------------|----------------|--------------|--------|-------|
| NSLG2C14 | 5mm | 14cm | Curved | 6 |
| NSLG2C25 | 5mm | 25cm | Curved | 6 |
| NSLG2C35 | 5mm | 35cm | Curved | 6 |
| NSLG2C45 | 5mm | 45cm | Curved | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

ENSEAL® G2 Straight Tissue Sealers



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|--------------|----------------|--------------|----------|-------|
| NSLG2S14 | 5mm | 14cm | Straight | 6 |
| NSLG2S25 | 5mm | 25cm | Straight | 6 |
| NSLG2S35 | 5mm | 35cm | Straight | 6 |
| NSLG2S45 | 5mm | 45cm | Straight | 6 |

ENSEAL® Trio Tissue Sealers



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|--------------|----------------|--------------|--------|-------|
| ETRIO314H | 5mm | 14cm | Curved | 6 |
| ETRIO325H | 5mm | 25cm | Curved | 6 |
| ETRIO335H | 5mm | 35cm | Curved | 6 |
| ETRIO345H | 5mm | 45cm | Curved | 6 |

ENSEAL® Round Tip Tissue Sealers



| Product Code | Shaft Diameter | Shaft Length | Jaw | EA/BX |
|---------------------|----------------|--------------|----------|-------|
| NSEAL514RH | 5mm | 14cm | Straight | 6 |
| NSEAL525RH | 5mm | 25cm | Straight | 6 |
| NSEAL535RH | 5mm | 35cm | Straight | 6 |
| NSEAL545RH | 5mm | 45cm | Straight | 6 |

ETHICON GEN11 Generator



| Product Code | Compatible with | EA/BX |
|--------------|-----------------------------------|-------|
| GEN11 | All HARMONIC® and ENSEAL® devices | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

ETHICON GEN11 Generator Accessories











| Product Code | Description | Compatible with | EA/BX |
|--------------|----------------------------|---|-------|
| HGA11 | HARMONIC® connector | HPO54 and HPBLUE hand pieces | 1 |
| EGA11 | ENSEAL® connector | ENSEAL® Trio Tissue Sealer and ENSEAL® RoundTip Tissue Sealer | 1 |
| GEN11VK | Output verification key | GEN11 | 1 |
| FSW11 | Foot switch and cable | GEN11 | 1 |
| <u>CRT11</u> | Generator cart | GEN11 | 1 |
| GEN11WAR1 | 1-Year extended warranty | | 1 |
| GEN11WAR2 | 2-Year extended warranty | | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Electrosurgical Generator



| Product Code | Description | EA/BX |
|---------------------|-------------------------------------|-------|
| MEGEN1 | MEGADYNE™ Electrosurgical Generator | 1 |

MEGADYNE™ Generator accessories



| Product Code | Description | EA/BX |
|--------------|----------------------------------|-------|
| 1300SJ | Mega Cart with Accessory Shelf | 1 |
| 1400JJ | Mega Power Monopolar Foot Switch | 1 |
| 1459J | Round Bipolar Footswitch | 1 |
| 1450J | Mega Power Bipolar Foot Switch | 1 |
| 96007 | Monopolar Adapter | 1 |

MEGADYNE™ Soft Tissue Dissectors













| Product Code | Description | Connector | EA/BX |
|---------------------|--|-----------|-------|
| ME7251ST | MEGADYNE™ Telescoping Smoke Evacuation Soft Tissue Dissector | Universal | 6 |
| ME725M1ST | MEGADYNE™ Telescoping Smoke Evacuation Soft Tissue Dissector, Modified | Universal | 6 |
| ME7251T | MEGADYNE™ Telescoping Soft Tissue Dissector | Universal | 6 |
| ME725M1T | MEGADYNE™ Telescoping Soft Tissue Dissector, Modified | Universal | 6 |
| <u>ME7251C</u> | MEGADYNE™ ACE BLADE™ 700 Soft Tissue Dissector | С | 6 |
| <u>ME7251E</u> | MEGADYNE™ ACE BLADE™ 700 Soft Tissue Dissector | E | 6 |
| <u>ME725M1C</u> | MEGADYNE™ ACE BLADE™ 700 Soft Tissue Dissector, Modified | С | 6 |
| <u>ME725M1E</u> | MEGADYNE™ ACE BLADE™ 700 Soft Tissue Dissector, Modified | E | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ E-Z CLEAN™ Coated Blade Electrodes



| Product Code | Description | Tip Length | EA/BX |
|---------------|--|------------|-------|
| <u>0012</u> | Standard Blade Electrode | 2.5" | 12 |
| <u>0012M</u> | Standard Blade Electrode Modified | 2.5" | 12 |
| <u>0012A</u> | X-Long Standard Blade Electrode | 2.75" | 12 |
| <u>0012AM</u> | X-Long Standard Blade Electrode Modified | 2.75" | 12 |
| <u>0014A</u> | Extended Blade Electrode | 4" | 12 |
| <u>0014AM</u> | Extended Blade Electrode Modified | 4" | 12 |
| <u>0014</u> | Extended Blade Electrode | 6.5" | 12 |
| <u>0014M</u> | Extended Blade Electrode Modified | 6.5" | 12 |

MEGADYNE™ E-Z CLEAN™ Coated Needle Electrodes



| Product Code | Description | Tip Length | EA/BX |
|---------------|------------------------------------|------------|-------|
| <u>0013</u> | Needle Electrode | 2.75" | 12 |
| <u>0013M</u> | Needle Electrode Modified | 2.75" | 12 |
| <u>0016A</u> | Extended Needle Electrode | 4" | 12 |
| <u>0016AM</u> | Needle Electrode Modified | 4" | 12 |
| <u>0016</u> | Extended Needle Electrode | 6" | 12 |
| <u>0016M</u> | Extended Needle Electrode Modified | 6" | 12 |

MEGADYNE™ E-Z CLEAN™ Coated Blunt Needle Electrodes



| Product Code | Description | Tip Length | EA/BX |
|--------------|---------------------------------|------------|-------|
| <u>0113</u> | Blunt Needle Electrode | 2.75" | 12 |
| <u>0113M</u> | Blunt Needle Electrode Modified | 2.75" | 12 |
| <u>0113A</u> | Blunt Needle Electrode | 4" | 12 |

MEGADYNE™ E-Z CLEAN™ Coated Ball Electrodes



| Product Code | Description | Tip Length | EA/BX |
|--------------|----------------|------------|-------|
| <u>0015</u> | Ball Electrode | 2" | 12 |
| 0009 | Ball Electrode | 5" | 12 |

MEGADYNE™ E-Z CLEAN™ Coated Specialty Electrodes



| Product Code | Description | Tip Length | EA/BX |
|--------------|-------------------------|------------|-------|
| 0028 | Bayonet Needle | 6" | 12 |
| <u>0028M</u> | Bayonet Needle Modified | 6" | 12 |
| <u>0029M</u> | Bayonet Blade Modified | 6.5" | 12 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

| $MEGADYNE^m$ | MEGA | FINE™ | Needle |
|--------------|------|-------|--------|
| Flectrodes | | | |



| Product Code | Description | Tip Length | EA/BX |
|--------------|---------------------------|------------|-------|
| <u>0118</u> | Needle Electrode | 2" | 12 |
| <u>0118A</u> | Extended Needle Electrode | 2.5" | 12 |
| <u>0119</u> | Angled 45 Degree | 2" | 12 |
| <u>0119A</u> | Angled 45 Degree 3mm | 2" | 12 |
| <u>0120</u> | Angled 90 Degree | 2" | 12 |
| <u>0121</u> | Needle Electrode | 6.5" | 12 |

MEGADYNE™ Precision Electrodes



| Product Code | Description | Tip Length | EA/BX |
|----------------|--------------------------|------------|-------|
| <u>0012AP</u> | Blade Electrode | 2.75" | 12 |
| <u>0012AMP</u> | Blade Electrode Modified | 2.75" | 12 |
| <u>0014AP</u> | Blade Electrode | 4" | 12 |
| <u>0014AMP</u> | Blade Electrode Modified | 4" | 12 |

MEGADYNE™ E-Z CLEAN™ Protective Nose Cone Electrodes





| Product Code | Description | Tip Length | EA/BX |
|----------------|------------------|------------|-------|
| <u>0012MD</u> | Nose Cone Blade | 2.5" | 24 |
| <u>0012AMD</u> | Nose Cone Blade | 2.75" | 24 |
| <u>0014AMD</u> | Nose Cone Blade | 4" | 24 |
| <u>0014MD</u> | Nose Cone Blade | 6.5" | 24 |
| <u>0013MD</u> | Nose Cone Needle | 2.75" | 24 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ E-Z CLEAN™ Laparoscopic Electrodes













| Product | Tip | | | |
|---------------|----------------|-----------------------------|--------|-------|
| Code | Configuration | Compatible With | Length | EA/BX |
| <u>0017</u> | Standard | Standard Pencils | 33cm | 6 |
| <u>0018</u> | Spatula | Standard Pencils | 33cm | 6 |
| <u>0018C</u> | Curved Spatula | Standard Pencils | 33cm | 6 |
| <u>0018CS</u> | Curved Spatula | Reusable Foot Control Cords | 33cm | 6 |
| 0019 | Curved | Standard Pencils | 33cm | 6 |
| <u>0019S</u> | Curved | Reusable Foot Control Cords | 33cm | 6 |
| <u>0019L</u> | Curved | Standard Pencils | 45cm | 6 |
| <u>0019LS</u> | Curved | Reusable Foot Control Cords | 45cm | 6 |
| 0020 | L-Hook | Standard Pencils | 33cm | 6 |
| <u>0020S</u> | L-Hook | Reusable Foot Control Cords | 33cm | 6 |
| <u>0020L</u> | L-Hook | Standard Pencils | 45cm | 6 |
| <u>0020LS</u> | L-Hook | Reusable Foot Control Cords | 45cm | 6 |
| <u>0021</u> | J-Hook | Standard Pencils | 33cm | 6 |
| <u>0021S</u> | J-Hook | Reusable Foot Control Cords | 33cm | 6 |
| <u>0021L</u> | J-Hook | Standard Pencils | 45cm | 6 |
| <u>0021LS</u> | J-Hook | Reusable Foot Control Cords | 45cm | 6 |
| 0022 | Needle | Standard Pencils | 33cm | 6 |
| <u>0022S</u> | Needle | Reusable Foot Control Cords | 33cm | 6 |
| 0024 | Ball | Standard Pencils | 33cm | 6 |
| <u>0026S</u> | O-Wire | Reusable Foot Control Cords | 33cm | 6 |
| <u>0100</u> | L-Wire | Standard Pencils | 33cm | 6 |
| <u>0100S</u> | L-Wire | Reusable Foot Control Cords | 33cm | 6 |
| <u>0100L</u> | L-Wire | Standard Pencils | 45cm | 6 |
| <u>0100LS</u> | L-Wire | Reusable Foot Control Cords | 45cm | 6 |
| <u>0105S</u> | J-Wire | Reusable Foot Control Cords | 33cm | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Megatip Electrodes



| Product Code | Tip Configuration | EA/BX |
|--------------|-------------------|-------|
| 0600 | L-Wire | 6 |
| <u>0600M</u> | L-Wire Modified | 6 |
| <u>0605</u> | J-Wire | 6 |
| <u>0618</u> | Spatula | 6 |
| <u>0619</u> | Curved Blade | 6 |
| 0620 | L-Hook | 6 |
| <u>0620M</u> | L-Hook Modified | 6 |
| <u>0621</u> | J-Hook | 6 |
| <u>0621M</u> | J-Hook Modified | 6 |

$\mathsf{MEGADYNE^{m}}\ \mathsf{Reusable}\ \mathsf{Indicator}\ \mathsf{Shafts}$



| Product Code | Description | Tip Length | EA/BX |
|---------------------|--------------|------------|-------|
| <u>0690</u> | Hand Control | 32cm | 2 |
| <u>0690S</u> | Foot Control | 32cm | 2 |
| 0695 | Hand Control | 38cm | 2 |
| <u>0695S</u> | Foot Control | 38cm | 2 |

MEGADYNE™ Reusable Foot Control Cord



| Product Code | Description | Length | EA/BX |
|--------------|----------------------------|--------|-------|
| <u>0075</u> | Reusable Foot Control Cord | 3m | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Rocker Switch Pencil




| Product Code | Description | Cord Length | EA/BX |
|---------------|---|----------------|-------|
| 0030 | Pencil with E-Z CLEAN™ Electrode | 10ft | 50 |
| <u>0030L</u> | Pencil with E-Z CLEAN™ Electrode | 15ft | 25 |
| <u>0030H</u> | Pencil with E-Z CLEAN™ Electrode and holster | 10ft | 50 |
| <u>0030HL</u> | Pencil with E-Z CLEAN™ Electrode and holster | 15ft | 25 |
| <u>0036</u> | Pencil with E-Z CLEAN™ Electrode Modified | 10ft | 50 |
| <u>0036H</u> | Pencil with E-Z CLEAN™ Electrode Modified and holster | 10ft | 50 |

MEGADYNE™ Button Switch Pencil



| Product Code | Description | Cord Length | EA/BX |
|---------------|---|----------------|-------|
| 0035 | Pencil with E-Z CLEAN™ Electrode | 10ft | 50 |
| <u>0035L</u> | Pencil with E-Z CLEAN™ Electrode | 15ft | 25 |
| <u>0035H</u> | Pencil with E-Z CLEAN™ Electrode and holster | 10ft | 50 |
| <u>0035HL</u> | Pencil with E-Z CLEAN™ Electrode and holster | 15ft | 25 |
| <u>0037</u> | Pencil with E-Z CLEAN™ Electrode Modified | 10ft | 50 |
| <u>0037H</u> | Pencil with E-Z CLEAN™ Electrode Modified and holster | 10ft | 50 |

MEGADYNE™ E-Z Pen Reusable Electrosurgical Pencil



| Product Code | Description | Cord Length | EA/BX |
|---------------|-----------------------------------|----------------|-------|
| <u>3030H</u> | Rocker switch pencil with holster | 1Oft | 10 |
| <u>3030HL</u> | Rocker switch pencil with holster | 15ft | 10 |
| <u>3035H</u> | Button switch pencil with holster | 10ft | 10 |
| <u>3035HL</u> | Button switch pencil with holster | 15ft | 10 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Universal Plus Reusable Patient Return Electrode 91cm x 51cm x 0.6cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|--|--------------------|-------------------|
| <u>0847M2K01</u> | MEGA SOFT™ Universal Plus with one M2K01 cable: Standard connector, 2.4m length | 1 | 1 |
| <u>0847M2K02</u> | MEGA SOFT™ Universal Plus with one M2KO2 cable: Standard connector, 4.4m length | 1 | 1 |
| <u>0847M2K03</u> | MEGA SOFT™ Universal Plus with one M2KO3 cable: Phone plug connector, 2.4m length | 1 | 1 |
| <u>0847M2K04</u> | MEGA SOFT™ Universal Plus with one M2KO4 cable: Phone plug connector, 4.4m length | 1 | 1 |
| <u>0847M2K05</u> | MEGA SOFT™ Universal Plus with one M2K05 cable: Extended phone plug connector, 4.4m length | 1 | 1 |
| <u>0847M2K06</u> | MEGA SOFT™ Universal Plus with one M2K06 cable: Argon beam connector, 2.4m length | 1 | 1 |
| <u>0847M2K08</u> | MEGA SOFT™ Universal Plus with one M2K08 cable: Compatibility cable, 2.4m length | 1 | 1 |
| <u>0847M2K09</u> | MEGA SOFT™ Universal Plus with one M2K09 cable: Compatibility cable, 4.4m length | 1 | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Universal Plus Dual Reusable Patient Return Electrode

91cm x 51cm x 0.6cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|--|--------------------|-------------------|
| <u>0848M2K01</u> | MEGA SOFT™ Universal Plus Dual with two M2KO1 cables: Standard connector, 2.4m length | 1 | 2 |
| <u>0848M2K02</u> | MEGA SOFT™ Universal Plus Dual with two M2KO2 cables: Standard connector, 4.4m length | 1 | 2 |
| <u>0848M2K03</u> | MEGA SOFT™ Universal Plus Dual with two M2KO3 cables: Phone plug connector, 2.4m length | 1 | 2 |
| <u>0848M2K04</u> | MEGA SOFT™ Universal Plus Dual with two M2KO4 cables: Phone plug connector, 4.4m length | 1 | 2 |
| <u>0848M2K05</u> | MEGA SOFT™ Universal Plus Dual with two M2KO5 cables: Extended phone plug connector, 4.4m length | 1 | 2 |
| <u>0848M2K06</u> | MEGA SOFT™ Universal Plus Dual with two M2KO6 cables: Argon beam connector, 2.4m length | 1 | 2 |
| <u>0848M2K08</u> | MEGA SOFT™ Universal Plus Dual with two M2K08 cables: Compatibility cable, 2.4m length | 1 | 2 |
| <u>0848M2K09</u> | MEGA SOFT™ Universal Plus Dual with two M2K09 cables: Compatibility cable, 4.4m length | 1 | 2 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Universal Reusable Patient Return Electrode 91cm x 51cm x O.3cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|---|--------------------|-------------------|
| <u>0845M2K01</u> | MEGA SOFT™ Universal with one M2K01 cable: Standard connector, 2.4m length | 1 | 1 |
| <u>0845M2K02</u> | MEGA SOFT™ Universal with one M2K02 cable: Standard connector, 4.4m length | 1 | 1 |
| <u>0845M2K03</u> | MEGA SOFT™ Universal with one M2K03 cable: Phone plug connector, 2.4m length | 1 | 1 |
| <u>0845M2K04</u> | MEGA SOFT™ Universal with one M2KO4 cable: Phone plug connector, 4.4m length | 1 | 1 |
| <u>0845M2K05</u> | MEGA SOFT™ Universal with one M2K05 cable: Extended phone plug connector, 4.4m length | 1 | 1 |
| <u>0845M2K06</u> | MEGA SOFT™ Universal with one M2K06 cable: Argon beam connector, 2.4m length | 1 | 1 |
| <u>0845M2K08</u> | MEGA SOFT™ Universal with one M2K08 cable: Compatibility cable, 2.4m length | 1 | 1 |
| <u>0845M2K09</u> | MEGA SOFT™ Universal with one M2K09 cable: Compatibility cable, 4.4m length | 1 | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Universal Dual Reusable Patient Return Electrode 91cm x 50cm x 0.3175cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|---|--------------------|-------------------|
| <u>0846M2K01</u> | MEGA SOFT™ Universal Dual with two M2K01 cables: Standard connector, 2.4m length | 1 | 2 |
| <u>0846M2K02</u> | MEGA SOFT™ Universal Dual with two M2KO2 cables: Standard connector, 4.4m length | 1 | 2 |
| <u>0846M2K03</u> | MEGA SOFT™ Universal Dual with two M2KO3 cables: Phone plug connector, 2.4m length | 1 | 2 |
| <u>0846M2K04</u> | MEGA SOFT™ Universal Dual with two M2KO4 cables: Phone plug connector, 4.4m length | 1 | 2 |
| <u>0846M2K05</u> | MEGA SOFT™ Universal Dual with two M2K05 cables: Extended phone plug connector, 4.4m length | 1 | 2 |
| <u>0846M2K06</u> | MEGA SOFT™ Universal Dual with two M2KO6 cables: Argon beam connector, 2.4m length | 1 | 2 |
| <u>0846M2K08</u> | MEGA SOFT™ Universal Dual with two M2KO8 cables: Compatibility cable, 2.4m length | 1 | 2 |
| <u>0846M2K09</u> | MEGA SOFT™ Universal Dual with two M2K09 cables: Compatibility cable, 4.4m length | 1 | 2 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Reusable Patient Return Electrode 117cm x 51cm x 1.25cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|---|-----------------------|-------------------|
| <u>0830M2K01</u> | MEGA SOFT™ with one M2K01 cable: Standard connector, 2.4m length | 1 | 1 |
| <u>0830M2K02</u> | MEGA SOFT™ with one M2KO2 cable: Standard connector, 4.4m length | 1 | 1 |
| <u>0830M2K03</u> | MEGA SOFT™ with one M2KO3 cable: Phone plug connector, 2.4m length | 1 | 1 |
| <u>0830M2K04</u> | MEGA SOFT™ with one M2KO4 cable: Phone plug connector, 4.4m length | 1 | 1 |
| <u>0830M2K05</u> | MEGA SOFT™ with one M2K05 cable: Extended phone plug connector, 4.4m length | 1 | 1 |
| <u>0830M2K06</u> | MEGA SOFT™ with one M2K06 cable: Argon beam connector, 2.4m length | 1 | 1 |
| <u>0830M2K08</u> | MEGA SOFT™ with one M2K08 cable: Compatibility cable, 2.4m length | 1 | 1 |
| <u>0830M2K09</u> | MEGA SOFT™ with one M2K09 cable: Compatibility cable, 4.4m length | 1 | 1 |

MEGADYNE™ MEGA SOFT™ Dual Reusable Patient Return Electrode 117cm x 51cm x 1.25cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|---|--------------------|-------------------|
| <u>0835M2K01</u> | MEGA SOFT™ Dual with two M2KO1 cables: Standard connector, 2.4m length | 1 | 2 |
| <u>0835M2K02</u> | MEGA SOFT™ Dual with two M2KO2 cables: Standard connector, 4.4m length | 1 | 2 |
| <u>0835M2K03</u> | MEGA SOFT™ Dual with two M2KO3 cables: Phone plug connector, 2.4m length | 1 | 2 |
| <u>0835M2K04</u> | MEGA SOFT™ Dual with two M2KO4 cables: Phone plug connector, 4.4m length | 1 | 2 |
| <u>0835M2K05</u> | MEGA SOFT™ Dual with two M2KO5 cables: Extended phone plug connector, 4.4m length | 1 | 2 |
| <u>0835M2K06</u> | MEGA SOFT™ Dual with two M2K06 cables: Argon beam connector, 2.4m length | 1 | 2 |
| <u>0835M2K08</u> | MEGA SOFT™ Dual with two M2KO8 cables: Compatibility cable, 2.4m length | 1 | 2 |
| <u>0835M2K09</u> | MEGA SOFT™ Dual with two M2K09 cables: Compatibility cable, 4.4m length | 1 | 2 |





Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Pediatric Reusable Patient Return Electrode 66cm x 30.5cm x 1.3cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|---|-----------------------|-------------------|
| <u>0840M2K01</u> | MEGA SOFT™ Pediatric with one M2K01 cable: Standard connector, 2.4m length | 1 | 1 |
| <u>0840M2K02</u> | MEGA SOFT™ Pediatric with one M2KO2 cable: Standard connector, 4.4m length | 1 | 1 |
| <u>0840M2K03</u> | MEGA SOFT™ Pediatric with one M2KO3 cable: Phone plug connector, 2.4m length | 1 | 1 |
| <u>0840M2K04</u> | MEGA SOFT™ Pediatric with one M2KO4 cable: Phone plug connector, 4.4m length | 1 | 1 |
| <u>0840M2K05</u> | MEGA SOFT™ Pediatric with one M2K05 cable: Extended phone plug connector, 4.4m length | 1 | 1 |
| <u>0840M2K06</u> | MEGA SOFT™ Pediatric with one M2KO6 cable: Argon beam connector, 2.4m length | 1 | 1 |
| <u>0840M2K08</u> | MEGA SOFT™ Pediatric with one M2KO8 cable: Compatibility cable, 2.4m length | 1 | 1 |
| <u>0840M2K09</u> | MEGA SOFT™ Pediatric with one M2KO9 cable: Compatibility cable, 4.4m length | 1 | 1 |

MEGADYNE™ MEGA SOFT™ 2000 Reusable Patient Return Electrode 91cm x 51cm



| Product Code | Description | Electrodes per box | Cables per box |
|------------------|--|--------------------|-------------------|
| <u>0800M2K01</u> | MEGA SOFT™ 2000 with one M2K01 cable: Standard connector, 2.4m length | 1 | 1 |
| <u>0800M2K02</u> | MEGA SOFT™ 2000 with one M2K02 cable: Standard connector, 4.4m length | 1 | 1 |
| <u>0800M2K03</u> | MEGA SOFT™ 2000 with one M2K03 cable: Phone plug connector, 2.4m length | 1 | 1 |
| <u>0800M2K04</u> | MEGA SOFT™ 2000 with one M2K04 cable: Phone plug connector, 4.4m length | 1 | 1 |
| <u>0800M2K05</u> | MEGA SOFT™ 2000 with one M2K05 cable: Extended phone plug connector, 4.4m length | 1 | 1 |
| <u>0800M2K06</u> | MEGA SOFT™ 2000 with one M2K06 cable: Argon beam connector, 2.4m length | 1 | 1 |
| <u>0800M2K08</u> | MEGA SOFT™ 2000 with one M2K08 cable: Compatibility cable, 2.4m length | 1 | 1 |
| <u>0800M2K09</u> | MEGA SOFT™ 2000 with one M2K09 cable: Compatibility cable, 4.4m length | 1 | 1 |

MEGADYNE™ MEGA SOFT™ Reusable Patient Return Electrode

| Product Code | Description | EA/BX |
|--------------|-------------------|-------|
| <u>0825</u> | MEGA 2000™ Sheath | 30 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ MEGA SOFT™ Cables and Accessories



| Product Code | Description | Cord Length | EA/BX |
|--------------|--|----------------|-------|
| <u>M2K01</u> | Standard Connector | 8ft | 1 |
| <u>M2KO2</u> | Standard Connector | 14.4ft | 1 |
| <u>M2K03</u> | Phone Plug Connector, same as B-205 adapter | 8ft | 1 |
| <u>M2K04</u> | Phone Plug Connector, same as B-205 adapter | 14.4ft | 1 |
| <u>M2K05</u> | Extended Phone Plug Connector, same as B-210 adapter | 14.4ft | 1 |
| <u>M2K06</u> | Argon Beam Connector, same as A-238 adapter | 8ft | 1 |
| <u>M2K07</u> | Replacement Pigtail Cable | 2ft | 1 |
| <u>M2K08</u> | Compatibility Cable | 8ft | 1 |
| <u>M2K09</u> | Compatibility Cable | 14.4ft | 1 |
| PKITOO1 | MEGA SOFT™ Repair Kit | | 1 |

0

MEGADYNE™ Smoke Evacuator and Accessories











| Product Code | Description | EA/BX |
|--------------|-------------------------------|-------|
| MESE1 | MEGADYNE™ Smoke Evacuator | 1 |
| 255OJ | MEGADYNE™ Filter | 1 |
| 2403J | MEGADYNE™ Connect Cable, 1m | 1 |
| 2406J | MEGADYNE™ Connect Cable, 2.1m | 1 |
| 2555J | MEGADYNE™ Fluid Trap | 10 |
| | | |

MEGADYNE™ RF Sensor

2255J

1







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Mega Vac Smoke Evacuators and Accessories







MEGADYNE™ MINI VAC™ Smoke Evacuators and Accessories









| Product Code | Description | EA/BX |
|--------------|----------------------------------|-------|
| <u>2211J</u> | ULPA Filter with Fluid Trap | 10 |
| <u>2220J</u> | Charcoal Filter | 1 |
| <u>2250J</u> | MEGADYNE™ RF Sensor for Mega Vac | 1 |

| Product Code | Description | EA/BX |
|--------------|------------------------------------|-------|
| ECVV120 | MINI VAC™ Smoke Evacuator 120v | 1 |
| ECVV220 | MINI VAC™ Smoke Evacuator 220v | 1 |
| MGEZLINKO1 | MEGADYNE™ RF Sensor for MINI VAC™ | |
| MGVS353 | MEGADYNE™ Micro Safe Filter 1 Pack | 1 |
| MGVS35302 | MEGADYNE™ Micro Safe Filter 2 Pack | 2 |
| MGVSFT10 | Fluid Trap for MINI VAC™ | 10 |








Interested in ordering? Click on a product code and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the Ethicon Product Center (EPC) for more details on Energy products.

Smoke Evacuation Pencils and Accessories



| Product Code | Description | Connector | EA/BX |
|-----------------|--|-----------|-------|
| <u>251010J</u> | MEGADYNE™ Telescoping Smoke Evacuation Pencil, 10 ft | Flexible | 20 |
| <u>251015J</u> | MEGADYNE™ Telescoping Smoke Evacuation Pencil, 15 ft | Flexible | 20 |
| <u>252510</u> | MEGADYNE™ ZIP-PEN™ Smoke Evacuation Pencil | Standard | 20 |
| <u>252510EC</u> | MEGADYNE™ ZIP-PEN™ Smoke Evacuation Pencil with 22mm connector | 22mm | 20 |
| <u>2540J</u> | MEGADYNE™ ZIP-PEN™ Extension Nozzle 2.7" | | 10 |
| <u>2560J</u> | MEGADYNE™ ZIP-PEN™ Extension Nozzle 5.2" | | 10 |
| <u>212009J</u> | MEGADYNE™ Attacha Vac Smoke Evacuation Shroud | MegaVac | 25 |
| 212009EC | MEGADYNE™ Attacha Vac Smoke Evacuation Shroud with 22mm connector | EC | 25 |

Smoke Evacuation Tubing and Connectors













| 1 | | |
|---|-----|------|
| | 199 | 4345 |
| | | |

| Product Code | Description | EA/BX |
|--------------|--|-------|
| 2390J | MEGADYNE™ Laparoscopic Tubing | 25 |
| 2395J | MEGADYNE™ Speculum Tubing | 25 |
| <u>2140J</u> | MEGADYNE™ Mega Vac Smoke Evacuator Connector | 1 |
| <u>2145J</u> | 22mm male to 10mm male Connector | 1 |
| <u>2150J</u> | Standard Connector | 1 |
| <u>2151J</u> | 22mm ID Tube Connector | 1 |
| <u>2155</u> | 22mm female to 10mm male Connector | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Stainless Steel Blade Electrodes



| Product Code | Description | Tip Length | EA/BX |
|---------------|--------------------------|------------|-------|
| <u>0312</u> | Blade Electrode | 2.5" | 12 |
| <u>0312M</u> | Blade Electrode Modified | 2.5" | 12 |
| <u>0312A</u> | Blade Electrode | 2.75" | 12 |
| <u>0312AM</u> | Blade Electrode Modified | 2.75" | 12 |
| <u>0314A</u> | Blade Electrode | 4" | 12 |
| <u>0314</u> | Blade Electrode | 6.5" | 12 |
| <u>0314M</u> | Blade Electrode Modified | 6.5" | 12 |

MEGADYNE™ Stainless Steel Needle Electrodes



| Product Code | Description | Tip Length | EA/BX |
|---------------|---------------------------|------------|-------|
| <u>0313</u> | Needle Electrode | 2.75" | 12 |
| <u>0313M</u> | Needle Electrode Modified | 2.75" | 12 |
| <u>0316AM</u> | Needle Electrode Modified | 4" | 12 |
| <u>0316</u> | Needle Electrode | 6" | 12 |
| <u>0316M</u> | Needle Electrode Modified | 6" | 12 |

MEGADYNE™ Stainless Steel Ball Electrodes



| Product Code | Description | Tip Length | EA/BX |
|--------------|----------------|------------|-------|
| 0300 | Ball Electrode | 5" | 12 |
| <u>0315</u> | Ball Electrode | 2" | 12 |

MEGADYNE™ Pencils With Stainless Steel Electrodes



| Product Code | Description | Cord Length | EA/BX |
|--------------|-----------------------------------|----------------|-------|
| 0038 | Rocker switch pencil | 10ft | 50 |
| <u>0038H</u> | Rocker switch pencil with holster | 10ft | 50 |
| 0039 | Button switch pencil | 10ft | 50 |
| <u>0039H</u> | Button switch pencil with holster | 10ft | 50 |
| <u>FC39H</u> | Foot control pencil with holster | 10ft | 50 |
| TC100 | Tip Clasper | | EO. |
| <u>TC100</u> | Tip Cleaner | | 50 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ Disposable Patient Return Electrodes and Accessories













ENDOPATH® Electrosurgery PROBE PLUS® II System



| ENDOPATH® Electrosurgery |
|---------------------------------|
| PROBE PLUS® II Electrode Shafts |



| Product Code | Description | Cord Length | EA/BX |
|---------------|---------------------------------------|----------------|-------|
| <u>0850C</u> | Single plate return electrode | 9ft | 50 |
| <u>0855C</u> | Dual plate return electrode | 10ft | 50 |
| <u>0855CL</u> | Dual plate return electrode | 15ft | 50 |
| <u>0855CN</u> | Dual plate return electrode | 9ft | 50 |
| <u>0865C</u> | Pediatric dual plate return electrode | 9ft | 50 |
| <u>0855</u> | Dual plate return electrode | No Cord | 50 |
| <u>0875</u> | Return Electrode Cable, Dual Style | 10ft | 1 |

| Product Code | Grip | Control | EA/BX |
|--------------|--------|---------|-------|
| | | | |
| EPHO2 | Pistol | Hand | 6 |
| EPHO4 | Pencil | Hand | 6 |

| Product Code | Shaft Diameter | Shaft Length | Electrode | EA/BX |
|--------------|----------------|--------------|------------------|-------|
| EPSO1 | 5mm | 34cm | Hook | 6 |
| EPSO2 | 5mm | 34cm | Spatula | 6 |
| EPSO3 | 5mm | 34cm | Right angle | 6 |
| EPSO4 | 5mm | 34cm | Curved dissector | 6 |
| EPSO5 | 5mm | 29cm | Hook | 6 |
| EPSO6 | 5mm | 29cm | Spatula | 6 |
| EPSO7 | 5mm | 29cm | Right angle | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

ENDOPATH® Electrosurgery PROBE PLUS® II Tubing



| Product Code | Description | EA/BX |
|--------------|---|-------|
| EPTO1 | PROBE PLUS® II, dual-bottle irrigation tube set | 6 |

MEGADYNE™ All-In-One Hand Control Unit



| Product Code | Description | EA/BX |
|--------------|------------------------------|-------|
| <u>0055</u> | All-In-One Hand Control Unit | 5 |

MEGADYNE™ All-In-One Electrodes



| Product Code | Tip Configuration | Length | EA/BX |
|--------------|-------------------|--------|-------|
| 0060 | L-Hook | 32cm | 5 |
| 0085 | J-Wire Hook | 38cm | 5 |
| 0062 | Curved Blade | 32cm | 5 |
| 0063 | L-Wire Hook | 32cm | 5 |
| <u>0080J</u> | L-Wire Hook | 38cm | 5 |
| 0064 | Standard Blade | 32cm | 5 |

| MEGADYNE™ All-In-One | |
|----------------------|--|
| ElectrosurgicalTip | |
| | |



| Product Code | Tip Configuration | Tip Length | EA/BX |
|--------------|-------------------|------------|-------|
| <u>0066</u> | Standard Blade | 2.5" | 5 |

MEGADYNE™ Suction Coagulators



| Product Code | Description | French Size | EA/BX |
|----------------|--------------------------------------|-------------|-------|
| <u>004010J</u> | Foot control, 6" cannula, 10 ft cord | 10 Fr | 10 |
| 004025 | Foot control, 6" cannula, 10 ft cord | 10 Fr | 25 |
| 004125 | Hand control, 6" cannula, 10 ft cord | 10 Fr | 25 |
| 004225 | Hand control, 6" cannula, 10 ft cord | 8 Fr | 25 |
| 004325 | Hand control, 6" cannula, 10 ft cord | 12 Fr | 25 |

Energy







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

MEGADYNE™ LLETZ Loop Electrodes Square



| Product Code | Description | Color | EA/BX |
|---------------------|----------------------|--------|-------|
| <u>0410</u> | LLETZ Loop 10 x 7 mm | Orange | 12 |

MEGADYNE™ LLETZ Loop Electrodes Round



| Product Code | Description | Color | EA/BX |
|--------------|-----------------------|--------|-------|
| 0420 | LLETZ Loop 10 x 5 mm | Purple | 12 |
| <u>0430</u> | LLETZ Loop 15 x 6 mm | Gray | 12 |
| 0440 | LLETZ Loop 20 x 10 mm | Red | 12 |
| <u>0450</u> | LLETZ Loop 10 x 10 mm | Yellow | 12 |
| <u>0460</u> | LLETZ Loop 15 x 12 mm | Green | 12 |
| <u>0470</u> | LLETZ Loop 20 x 12 mm | White | 12 |
| 0480 | LLETZ Loop 20 x 15 mm | Blue | 12 |
| <u>0490</u> | LLETZ Loop 20 x 8 mm | Tan | 12 |

MEGADYNE™ Bipolar Forceps



| Product Code | Description | Tip | Length | EA/BX |
|------------------------------|---|-------|--------|-------|
| <u>4010J</u> | Reusable Scoville-Greenwood Forcep | 1.5mm | 7" | 1 |
| <u>4020J</u> | Reusable Jeweler Forcep | 0.4mm | 4" | 1 |
| <u>4030J</u> | Reusable Cushing Forcep | 1.5mm | 6" | 1 |
| <u>4040J</u> | Reusable Adson Forcep | 1mm | 4" | 1 |
| 4050J Reusable Simkin Forcep | | 0.5mm | 5" | 1 |
| <u>4060J</u> | 4060J Reusable Gerald Forcep | | 7" | 1 |
| <u>4000J</u> | Disposable Flying Lead Bipolar Cable | | 12' | 10 |
| <u>4005J</u> | Disposable Fixed Lead Bipolar Cable | | 12' | 10 |

Energy







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Energy products.

Learn more about the portfolio on <u>jnjmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Hernia Repair & Fixation products.

PROLENE® Polypropylene Mesh



| Product Code | Description | Size | EA/BX |
|---------------------|--------------------------|----------------------------|-------|
| <u>PMH</u> | Square | 6" x 6" (15cm x 15cm) | 6 |
| <u>PMII</u> | Rectangle | 3" x 6" (8cm x 15cm) | 6 |
| <u>PML</u> | Square | 12" x 12" (30cm x 30cm) | 3 |
| <u>PMLK</u> | Large pre-shaped keyhole | 2.4" x 5.4" (6cm x 13.7cm) | 6 |
| <u>PMSK</u> | Small pre-shaped keyhole | 1.8" x 4.0" (4.6cm x 10cm) | 6 |
| <u>PMXL</u> | Rectangle | 2" x 12" (5cm x 30cm) | 6 |
| <u>PMXS</u> | Rectangle | 1" x 4" (2.54cm x 10cm) | 6 |

PROLENE® Soft Polypropylene Mesh



| Product Code | Description | Size | EA/BX |
|--------------|-------------|--------------------------------|-------|
| <u>SPMXS</u> | Rectangle | 1" x 4" (2.54cm x 10cm) | 6 |
| <u>SPMS</u> | Rectangle | 2" x 4" (5cm x 10cm) | 6 |
| <u>SPMII</u> | Rectangle | 3" x 6" (7.6cm x 15cm) | 6 |
| <u>SPMH</u> | Square | 6" x 6" (15cm x 15cm) | 6 |
| <u>SPMLI</u> | Square | 10" x 10" (25cm x 25cm) | 3 |
| SPMXXL | Rectangle | 14" x 12" (35.6cm x 30cm) | 3 |
| SPM3XL | Square | 19.6" x 19.6" (50cm x 50cm) | 3 |

ULTRAPRO® Partially Absorbable Mesh



| Product Code | Description | Size | EA/BX |
|---------------------|-------------|--------------------------|-------|
| <u>UMS3</u> | Rectangle | 2.4" x 4.3" (6cm x 11cm) | 3 |
| <u>UMR3</u> | Rectangle | 3" x 6" (7.6cm x 15cm) | 3 |
| <u>UMM3</u> | Square | 6" x 6" (15cm x 15cm) | 3 |
| <u>UML1</u> | Square | 12" x 12" (30cm x 30cm) | 1 |

ULTRAPRO ADVANCED™



| Product Code | Description | Size | EA/BX |
|---------------------|-------------|--------------|-------|
| <u>UPA3612</u> | Rectangle | 6cm x 12cm | 3 |
| <u>UPA37615</u> | Rectangle | 7.6cm x 15cm | 3 |
| <u>UPA31015</u> | Rectangle | 10cm x 15cm | 3 |
| <u>UPA31515</u> | Square | 15cm x 15cm | 3 |
| <u>UPA1530</u> | Rectangle | 15cm x 30cm | 1 |
| <u>UPA3030</u> | Square | 30cm x 30cm | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Hernia Repair & Fixation products.

ULTRAPRO COMFORT PLUG™ Partially Absorbable Hernia Repair Device



| Product Code | Plug Diameter | Onlay Mesh Size | EA/BX |
|-----------------|---------------|-----------------|-------|
| UPLUG401 | 40mm | 7cm x 14cm | 1 |
| UPLUG403 | 40mm | 7cm x 14cm | 3 |
| <u>UPLUG406</u> | 40mm | 7cm x 14cm | 6 |
| <u>UPLUG551</u> | 55mm | 7cm x 14cm | 1 |
| <u>UPLUG553</u> | 55mm | 7cm x 14cm | 3 |
| <u>UPLUG556</u> | 55mm | 7cm x 14cm | 6 |

ULTRAPRO® Plug



| Product Code | Description | Rim Size | Anchor Size | EA/BX |
|--------------|-------------|----------|-------------|-------|
| <u>UPPS2</u> | Small | 5cm | 3cm | 2 |
| <u>UPPS6</u> | Small | 5cm | 3cm | 6 |
| <u>UPPM2</u> | Medium | 5cm | 4cm | 2 |
| <u>UPPM6</u> | Medium | 5cm | 4cm | 6 |
| <u>UPPL2</u> | Large | 5cm | 5cm | 2 |
| <u>UPPL6</u> | Large | 5cm | 5cm | 6 |

PROLENE® Polypropylene Hernia System



| Product Code | Description | Underlay Patch Size | Onlay Patch Size | Connector Size | EA/BX |
|-----------------|-------------|------------------------|---------------------|----------------|-------|
| <u>PHSM</u> | Medium | 7cm | 4.5cm x 10cm | 1.9cm x 1.3cm | 3 |
| PSHM6 | Medium | 7cm | 4.5cm x 10cm | 1.9cm x 1.3cm | 6 |
| <u>PHSL</u> | Large | 10cm | 4.5cm x 10cm | 1.9cm x 1.3cm | 3 |
| PHSL6 | Large | 10cm | 4.5cm x 10cm | 1.9cm x 1.3cm | 6 |
| PHSE | Extended | 10cm | 5.5cm x 12.8cm | 1.9cm x 1.3cm | 3 |
| PHSE6 | Extended | 10cm | 5.5cm x 12.8cm | 1.9cm x 1.3cm | 6 |

PROLENE® 3D Patch Polypropylene Mesh



| Product Code | Description | Underlay Patch Size (deployed) | Onlay Patch size | EA/BX |
|-----------------|--------------------------------|-----------------------------------|------------------|-------|
| 3DPM | Medium with Extended Onlay | 3.5cm dia. | 5.5cm x 12.5cm | 3 |
| 3DPL | Large with Extended Onlay | 5cm dia. | 5.5cm x 12.5cm | 3 |
| <u>P3DPM</u> | Medium with Preshaped Onlay | 3.5cm dia. | 5.5cm x 12cm | 3 |
| P3DPL | Large with Preshaped Onlay | 5cm dia. | 5.5cm x 12cm | 3 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Hernia Repair & Fixation products.

ULTRAPRO® Hernia System



| Product Code | Description | Underlay Patch Size | Onlay Patch Size | EA/ BX |
|-----------------|-------------|------------------------------|--------------------------|-----------|
| <u>UHSL</u> | Large | 4.0" (10cm) | 2.4" x 4.7" (6cm x 12cm) | 3 |
| <u>UHSL6</u> | Large | 4.0" (10cm) | 2.4" x 4.7" (6cm x 12cm) | 6 |
| <u>UHSM</u> | Medium | 3.0" (7.5cm) | 2.4" x 4.7" (6cm x 12cm) | 3 |
| <u>UHSM6</u> | Medium | 3.0" (7.5cm) | 2.4" x 4.7" (6cm x 12cm) | 6 |
| <u>UHSOV</u> | Oval | 4.0" x 4.7" (10cm x 12cm) | 2.4" x 4.7" (6cm x 12cm) | 3 |

PROCEED® Surgical Mesh



| Product Code | Description | Size | EA/BX |
|--------------|-------------|-----------------------------|-------|
| PCDB1 | Rectangle | 2" x 4" (5cm x 10cm) | 1 |
| PCDD1 | Rectangle | 4" x 8" (10cm x 20cm) | 1 |
| PCDG1 | Oval | 6" x 8" (15cm x 20cm) | 1 |
| PCDH1 | Oval | 8" x 10" (20cm x 25cm) | 1 |
| PCDJ1 | Rectangle | 8" x 12" (20cm x 30cm) | 1 |
| PCDL1 | Square | 12" x 12" (30.5cm x 30.5cm) | 1 |
| PCDM1 | Square | 6" x 6" (15cm x 15cm) | 1 |
| PCDN1 | Oval | 4" x 6" (10cm x 15cm) | 1 |
| PCDR1 | Rectangle | 3" x 6" (7.5cm x 15cm) | 1 |
| PCDT1 | Oval | 10" x 13" (26cm x 34cm) | 1 |
| PCDW1 | Rectangle | 10" x 14" (25cm x 35cm) | 1 |

PROCEED® Ventral Patch



| Product Code | Description | Size | EA/BX |
|--------------|-------------|-----------------------------|-------|
| <u>PVPS</u> | Circle | 1.7" x 1.7" (4.3cm x 4.3cm) | 2 |
| <u>PVPM</u> | Circle | 2.5" x 2.5" (6.4cm x 6.4cm) | 2 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Hernia Repair & Fixation products.

ETHICON PHYSIOMESH™ Open Flexible Composite Mesh Device



| Product Code | Description | Size | EA/BX |
|---------------------|---------------|--------------|-------|
| <u>OPHY1010</u> | ≤3cm | 10cm "ROUND" | 1 |
| <u>OPHY1215</u> | 3cm - 5cm | 12cm x 15cm | 1 |
| <u>OPHY1520</u> | 3cm - ≤6cm | 15cm x 20cm | 1 |
| <u>OPHY1525</u> | <3cm - ≤6cm | 15cm x 25cm | 1 |
| <u>OPHY2030</u> | 6cm - 10cm | 20cm x 30cm | 1 |
| <u>OPHY2536</u> | ≥10cm - ≤19cm | 25cm x 36cm | 1 |

VICRYL® (polyglactin 910) Knitted Mesh VICRYL® (polyglactin 910) Woven Mesh



| Product Code | Description | Size | EA/BX |
|--------------|-------------|-------------------------|-------|
| <u>VKML</u> | Knitted | 12" x 12" (30cm x 30cm) | 3 |
| <u>VKMM</u> | Knitted | 6" x 6" (15cm x 15cm) | 3 |
| <u>VWML</u> | Woven | 12" x 12" (30cm x 30cm) | 3 |
| <u>VWMM</u> | Woven | 6" x 6" (15cm x 15cm) | 3 |

ETHICON SECURESTRAP®
Absorbable Strap Fixation Device



| Product Code | Description | EA/BX |
|--------------|---|-------|
| STRAP12 | 5mm single use device with 12 absorbable straps | 6 |
| STRAP25 | 5mm single use device with 25 absorbable straps | 6 |

ETHICON SECURESTRAP® Open Absorbable Strap Fixation Device



| Product Code | Description | EA/BX |
|--------------|---|-------|
| OPSTRAP20 | Single use device with 20 absorbable straps | 6 |

Learn more about the portfolio on <u>jnjmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Ligation products.

LIGAMAX™ 5 Endoscopic Clip Applier



| Product Code | Shaft Diameter | Clip Size | Number of clips | EA/BX |
|---------------------|----------------|--------------|-----------------|-------|
| EL5ML | 5mm | Medium/Large | 15 | 3 |

10mm LIGACLIP® Endoscopic Rotating Multiple-Clip Applier



| Product Code | Shaft Diameter | Clip Size | Number of clips | EA/BX |
|---------------------|----------------|--------------|-----------------|-------|
| <u>ER320</u> | 10mm | Medium/Large | 20 | 3 |

12mm LIGACLIP® Endoscopic Rotating Multiple-Clip Applier



| Product Code | Shaft Diameter | Clip Size | Number of clips | EA/BX |
|---------------------|----------------|-----------|-----------------|-------|
| <u>ER420</u> | 12mm | Large | 20 | 3 |

LIGACLIP® Endoscopic Clip Applier



| Product Code | Clip Size | EA/BX |
|---------------------|--------------|-------|
| <u>EL214</u> | Medium | 1 |
| <u>EL314</u> | Medium/Large | 1 |
| <u>EL414</u> | Large | 1 |

LIGACLIP® Multi-Clip Appliers (MCA)



| Product Code | Shaft Length | Clip Size | Number of clips | EA/BX |
|---------------------|--------------|-----------|-----------------|-------|
| MCS20 | 9 3/8" | Small | 20 | 6 |
| MSM2O | 9 3/8" | Medium | 20 | 6 |
| MCM20 | 11" | Medium | 20 | 6 |
| MCM30 | 11" | Medium | 30 | 6 |
| MCL20 | 13" | Large | 20 | 6 |

LIGACLIP® Multi-Patient Single-Clip Applier - Blue



| Product Code | Length | Handle Color | Clip Size | Tip Angle Specification | EA/BX |
|-----------------|---------|-----------------|-----------|----------------------------|-------|
| <u>LX105</u> | 5 3/4" | Blue | Small | 15° angle | 1 |
| <u>LX107</u> | 7 1/2" | Blue | Small | 15° angle | 1 |
| <u>LX110</u> | 10 1/2" | Blue | Small | 15° angle | 1 |
| LX130 | 10 1/2" | Blue | Small | 90° angle | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Ligation products.

LIGACLIP® Multi-Patient Single-Clip Applier - Silver



| Product Code | Length | Handle Color | Clip Size | Tip Angle Specification | EA/BX |
|-----------------|---------|-----------------|-----------|----------------------------|-------|
| <u>LX205</u> | 5 3/4" | Silver | Medium | 15° angle | 1 |
| LX207 | 7 1/2" | Silver | Medium | 15° angle | 1 |
| <u>LX210</u> | 10 1/2" | Silver | Medium | 15° angle | 1 |
| <u>LX220</u> | 10 1/2" | Silver | Medium | 45° angle | 1 |
| <u>LX230</u> | 10 1/2" | Silver | Medium | 90° angle | 1 |

LIGACLIP® Multi-Patient Single-Clip Applier - Green



| Product Code | Length | Handle Color | Clip Size | Tip Angle Specification | EA/BX |
|-----------------|---------|-----------------|------------------|----------------------------|-------|
| <u>LC307</u> | 7 1/2" | Green | Medium/ Large | 15° angle | 1 |
| <u>LC310</u> | 10 1/2" | Green | Medium/ Large | 15° angle | 1 |
| LC320 | 10 1/2" | Green | Medium/ Large | 45° angle | 1 |

LIGACLIP® Multi-Patient Single-Clip Applier - Yellow



| Product Code | Length | Handle Color | Clip Size | Tip Angle Specification | EA/BX |
|-----------------|---------|-----------------|-----------|----------------------------|-------|
| <u>LC407</u> | 7 1/2" | Yellow | Large | 15° angle | 1 |
| <u>LC410</u> | 10 1/2" | Yellow | Large | 15° angle | 1 |
| LC420 | 10 1/2" | Yellow | Large | 45° angle | 1 |
| LC430 | 10 1/2" | Yellow | Large | 90° angle | 1 |

LIGACLIP® Ligating Clip Cartridge Base



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>LC800</u> | LIGACLIP ® Ligating Clip Cartridge Base | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Ligation products.

LIGACLIP® EXTRA Ligating Clips

For use with open and endoscopic single clip appliers













| Product Code | Туре | Clip Applier Handle Color | Clip Size | Number of Clips | EA/BX |
|-----------------|-------------|------------------------------|------------------|--------------------|-------|
| <u>LT100</u> | Open single | Blue | Small | 6 | 36 |
| <u>LT102</u> | Open single | Blue | Small | 20 | 15 |
| <u>LT200</u> | Open/endo | Silver | Medium | 6 | 36 |
| <u>LT202</u> | Open/endo | Silver | Medium | 20 | 15 |
| <u>LT300</u> | Open/endo | Green | Medium/ Large | 6 | 18 |
| <u>LT400</u> | Open/endo | Yellow | Large | 6 | 18 |

Magnetic Sphincter Augmentation

Learn more about the portfolio on <u>injmedicaldevices.com</u>



Magnetic Sphincter Augmentation







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Magnetic Sphincter Augmentation products.

LINX® Reflux Management System



| Product Code | Description | EA/BX |
|--------------|-------------------|-------|
| LXMC13 | 13 Titanium beads | 1 |
| LXMC14 | 14 Titanium beads | 1 |
| LXMC15 | 15 Titanium beads | 1 |
| LXMC16 | 16 Titanium beads | 1 |
| LXMC17 | 17 Titanium beads | 1 |

LINX® Reflux Management System Esophagus Sizing Tool



| Product Code | Description | EA/BX |
|--------------|---|-------|
| <u>LSSUS</u> | Laparoscopic accessory to the LINX Reflux Management System (single use disposable device, packaged separately) | 1 |

Microwave Ablation

Learn more about the portfolio on <u>injmedicaldevices.com</u>



Microwave Ablation







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Microwave Ablation products.

| NEUWAVE™ | Microwave | Ablation |
|----------|-----------|----------|
| System | | |

| Product Code | Description | EA/BX |
|---------------------|------------------------|-------|
| NWC1US1N | NW ABLATION SYSTEM, US | 1 |

NEUWAVE™ Microwave Ablation System

| Product Code | Description | EA/BX |
|---------------------|--|-------|
| <u>ACUGUS</u> | Ablation Confirmation Software Upgrade Kit | 1 |

NEUWAVE™ Microwave Ablation Accessories

| Product Code | Description | EA/BX |
|---------------------|--------------------------------|-------|
| CTBKT1 | CT Bed Rail Mount, GE/Philips | 1 |
| CTBKT2 | CT Bed Rail Mount, Siemens | 1 |
| CTBKT3 | CT Bed Rail Mount, Toshiba | 1 |
| CTBKT4 | CT Bed Rail Mount, Siemens Alt | 1 |
| FSWITCH1 | Footswitch Standard USB | 1 |
| FSWITCH2 | Footswitch Locking USB | 1 |
| <u>RCPK</u> | Dual Resection Probe Clip | 5 |

Surgical PDM Mount Kit

| Product Code | EA/BX |
|-----------------|-------|
| <u>PD2MSURG</u> | 1 |

NEUWAVE™ SR Probe

| Product Code | Length | Gauge size | EA/BX |
|--------------|--------|------------|-------|
| NWSR25 | 25cm | 13ga | 1 |

NEUWAVE™ PR Probe

| Product Code | Length | Gauge size | EA/BX |
|---------------------|--------|------------|-------|
| <u>PR15</u> | 15cm | 17ga | 1 |
| <u>PR20</u> | 20cm | 17ga | 1 |

NEUWAVE™ PR XT Probe

| Product Code | Length | Gauge size | EA/BX |
|---------------------|--------|------------|-------|
| PR15XT | 15cm | 15ga | 1 |
| PR2OXT | 20cm | 15ga | 1 |

Microwave Ablation







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Microwave Ablation products.

NEUWAVE™ LK Probe

| Product Code | Length | Gauge size | EA/BX |
|---------------------|--------|------------|-------|
| <u>LK15</u> | 15cm | 17ga | 1 |
| <u>LK20</u> | 20cm | 17ga | 1 |

NEUWAVE™ LK XT Probe

| Product Code | Length | Gauge size | EA/BX |
|---------------------|--------|------------|-------|
| LK15XT | 15cm | 15ga | 1 |
| <u>LK2OXT</u> | 20cm | 15ga | 1 |

NEUWAVE™ LN Probe

| Product Code | Length | Gauge size | EA/BX |
|--------------|--------|------------|-------|
| <u>LN15</u> | 15cm | 17ga | 1 |
| <u>LN20</u> | 20cm | 17ga | 1 |

NEUWAVE™ ARM1

| Product Code | Description |
|--------------|--------------------------|
| ARM1 | NW ARM 1 with Table Rail |

NEUWAVE™ Rentals & Coverage Plans

| Product Code | Description |
|----------------|---|
| <u>NWCDREN</u> | NEUWAVE™ System Daily Rental |
| <u>NWCMREN</u> | NEUWAVE™ System Monthly Rental |
| <u>NWCPRE</u> | NEUWAVE™ System Premier Service Coverage Plan |
| <u>NWCSEC</u> | NEUWAVE™ System Secure Service Coverage Plan |
| <u>NWCXW</u> | NEUWAVE™ System Extended Warranty Coverage Plan |

Learn more about the portfolio on jnjmedicaldevices.com









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

ECHELON FLEX™ Powered Plus 60mm Stapler



| Product Code | Shaft Length | Articulation | Maximum Firings | EA/BX |
|---------------------|--------------|--------------|-----------------|-------|
| PCEE60A | 280mm | Yes | 12 | 3 |
| PSEE60A | 340mm | Yes | 12 | 3 |
| PLEE60A | 440mm | Yes | 12 | 3 |

ECHELON FLEX™ Powered Plus 45mm Stapler



| Product Code | Shaft Length | Articulation | Maximum Firings | EA/BX |
|---------------------|--------------|--------------|-----------------|-------|
| PCEE45A | 280mm | Yes | 12 | 3 |
| PSEE45A | 340mm | Yes | 12 | 3 |
| PLEE45A | 440mm | Yes | 12 | 3 |

ECHELON FLEX™ Powered Vascular Stapler with Advanced Placement Tip



| Product Code | Shaft Length | Articulation | Maximum Firings | EA/BX |
|---------------------|--------------|--------------|-----------------|-------|
| PVE35A | 320mm | Yes | 12 | 3 |

ECHELON FLEX™ ENDOPATH® 60mm Stapler



| Product Code | Shaft Length | Articulation | Maximum Firings | EA/BX |
|---------------------|--------------|--------------|-----------------|-------|
| <u>SC60A</u> | 280mm | Yes | 12 | 3 |
| <u>EC60A</u> | 340mm | Yes | 12 | 3 |
| LONG60A | 440mm | Yes | 12 | 3 |

ECHELON FLEX™ ENDOPATH® 45mm Stapler



| Product Code | Shaft Length | Articulation | Maximum Firings | EA/BX |
|---------------------|--------------|--------------|-----------------|-------|
| <u>SC45A</u> | 280mm | Yes | 12 | 3 |
| EC45A | 340mm | Yes | 12 | 3 |
| EC45AL | 440mm | Yes | 12 | 3 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

ECHELON 60mm Reload with Gripping Surface Technology



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| GST45W | White | 6 | Vascular/ Thin | 2.6mm | 1.0mm | 12 |
| GST45B | Blue | 6 | Regular | 3.6mm | 1.5mm | 12 |
| GST45D | Gold | 6 | Regular/ thick | 3.8mm | 1.8mm | 12 |
| GST45G | Green | 6 | Thick | 4.1mm | 2.0mm | 12 |
| GST45T | Black | 6 | Very Thick | 4.2mm | 2.3mm | 12 |
| <u>GST60W</u> | White | 6 | Vascular/ Thin | 2.6mm | 1.0mm | 12 |
| GST60B | Blue | 6 | Regular | 3.6mm | 1.5mm | 12 |
| <u>GST60D</u> | Gold | 6 | Regular/ thick | 3.8mm | 1.8mm | 12 |
| GST60G | Green | 6 | Thick | 4.1mm | 2.0mm | 12 |
| GST60T | Black | 6 | Very thick | 4.2mm | 2.3mm | 12 |

ECHELON 60mm Reload For use with all ECHELON 60mm Endoscopic Staplers



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| ECR60M | Gray | 6 | Mesentery/ thin | 2.0mm | .75mm | 12 |

ECHELON 45mm Reload For use with all ECHELON 45mm Endoscopic Staplers



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| ECR45M | Gray | 6 | Mesentery/ thin | 2.0mm | .75mm | 12 |

ENDOPATH ECHELON™ Vascular White Reload for Advanced Placement Tip 35mm



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| VASECR35 | White | 4 | Vascular/ thin | 2.5mm | 1.0mm | 12 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

ENDOPATH® ETS 45mm Articulating Linear Cutter



| Product Code | Shaft Length | Articulation | Reload Included | Maximum Firings | EA/BX |
|-----------------|-----------------|--------------|--------------------|--------------------|-------|
| ATS45 | 340mm | Yes | No | 8 | 3 |
| ATS45NK | 340mm | Yes | No | 8 | 3 |

ENDOPATH® ETS 45mm Linear CuttersFor use with all ETS 45mm Endoscopic Cutters





| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| TR45W | White | 6 | Vascular/ thin | 2.5mm | 1.0mm | 12 |
| <u>6R45B</u> | Blue | 6 | Regular | 3.5mm | 1.5mm | 12 |
| TR45G | Green | 4 | Thick | 4.1mm | 2.0mm | 12 |

ECHELON CIRCULAR™ Powered Stapler



| Product Code | Shaft Length | Adjustable Compressed Tissue Thickness | Head Diameter | Lumen | Open leg Length | EA/ BX |
|-----------------|-----------------|---|------------------|--------|-----------------------|-----------|
| CDH23P | 24cm | 1.0-1.7mm | 23mm | 14.6mm | 5.2mm | 3 |
| CDH25P | 24cm | 1.0-1.7mm | 25mm | 16.5mm | 5.2mm | 3 |
| CDH29P | 24cm | 1.0-1.7mm | 29mm | 20.4mm | 5.2mm | 3 |
| <u>CDH31P</u> | 24cm | 1.0-1.7mm | 31mm | 22.5mm | 5.2mm | 3 |

PROXIMATE® Curved Intraluminal Stapler



| Product Code | Shaft Length | Adjustable Compressed Tissue Thickness | Head Diameter | Lumen | Open leg Length | EA/ BX |
|-----------------|-----------------|---|------------------|--------|-----------------------|-----------|
| CDH21A | 18cm | 1.0-2.5mm | 21mm | 12.4mm | 5.5mm | 3 |
| CDH25A | 18cm | 1.0-2.5mm | 25mm | 16.4mm | 5.5mm | 3 |
| CDH29A | 18cm | 1.0-2.5mm | 29mm | 20.4mm | 5.5mm | 3 |
| CDH33A | 18cm | 1.0-2.5mm | 33mm | 24.4mm | 5.5mm | 3 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

PROXIMATE® Curved Intraluminal Stapler



| Product Code | Shaft Length | Adjustable Compressed Tissue Thickness | Head Diameter | Lumen | Open leg Length | EA/ BX |
|-----------------|-----------------|---|------------------|--------|-----------------------|-----------|
| ECS21A | 25cm | 1.0-2.5mm | 21mm | 12.4mm | 5.5mm | 3 |
| ECS25A | 25cm | 1.0-2.5mm | 25mm | 16.4mm | 5.5mm | 3 |
| ECS29A | 25cm | 1.0-2.5mm | 29mm | 20.4mm | 5.5mm | 3 |
| ECS33A | 25cm | 1.0-2.5mm | 33mm | 24.4mm | 5.5mm | 3 |

PROXIMATE® ILS Circular Sizer Set



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>CS23</u> | Bowel sizers for the ENDOPATH® ILS Curved Staplers, 23mm | 1 |
| <u>CS31</u> | Bowel sizers for the ENDOPATH® ILS Curved Staplers, 31mm | 1 |
| <u>CSS</u> | Bowel sizers for the ENDOPATH® ILS Curved Staplers, the set includes one each of a 25mm, 29mm, and 33mm sizer | 1 |

CONTOUR® Curved Cutter



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Reload Included | Max Firings | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------|-------------|-------|
| <u>CS40B</u> | Blue | 4 | Regular | Yes | 6 | 3 |
| <u>CS40G</u> | Green | 4 | Thick | Yes | 6 | 3 |

CONTOUR® Curved Cutter Stapler Cartridge



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| CR40B | Blue | 4 | Regular | 3.5mm | 1.5mm | 6 |
| <u>CR40G</u> | Green | 4 | Thick | 4.7mm | 2.0mm | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

Ethicon Linear Cutter



| Product Code | Shaft Length | Number of Staple Rows | Selectable Closed Staple Height | Maximum Firings | EA/BX |
|-----------------|-----------------|--------------------------|---------------------------------------|--------------------|-------|
| NTLC55 | 55mm | 6 | 1.5mm, 1.8mm, 2.0mm | 12 | 3 |
| NTLC75 | 75mm | 6 | 1.5mm, 1.8mm, 2.0mm | 12 | 3 |

Ethicon Linear Cutter Reload



| Product Code | Number of Staple Rows | Selectable Closed Staple Height | EA/BX |
|--------------|--------------------------|------------------------------------|-------|
| <u>SR55</u> | 6 | 1.5mm, 1.8mm, 2.0mm | 12 |
| <u>SR75</u> | 6 | 1.5mm, 1.8mm, 2.0mm | 12 |

PROXIMATE® Linear Cutter



| Product | Cartridge | Number of Staple | Tissue | Reload | | |
|--------------|-----------|---------------------|-------------------|----------|-------------|-------|
| Code | Color | Rows | Thickness | Included | Max Firings | EA/BX |
| TVC55 | White | 4 | Vascular/ thin | Yes | 8 | 3 |
| TLC55 | Blue | 4 | Regular | Yes | 8 | 3 |
| <u>TCT55</u> | Green | 4 | Thick | Yes | 8 | 3 |
| TLC75 | Blue | 4 | Regular | Yes | 8 | 3 |
| <u>TCD75</u> | Gold | 4 | Regular/ thick | Yes | 8 | 3 |
| <u>TCT75</u> | Green | 4 | Thick | Yes | 8 | 3 |
| TLC10 | Blue | 4 | Regular | Yes | 8 | 3 |
| TCT10 | Green | 4 | Thick | Yes | 8 | 3 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

PROXIMATE® Linear Cutter Cartridge



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| TVR55 | White | 4 | Vascular/ thin | 2.5mm | 1.0mm | 12 |
| TCR55 | Blue | 4 | Regular | 3.8mm | 1.5mm | 12 |
| <u>TRT55</u> | Green | 4 | Thick | 4.5mm | 2.0mm | 12 |
| <u>TCR75</u> | Blue | 4 | Regular | 3.8mm | 1.5mm | 12 |
| TRD75 | Gold | 4 | Regular/ thick | 4.2mm | 1.8mm | 12 |
| <u>TRT75</u> | Green | 4 | Thick | 4.5mm | 2.0mm | 12 |
| TCR10 | Blue | 4 | Regular | 3.8mm | 1.5mm | 12 |
| TRT10 | Green | 4 | Thick | 4.5mm | 2.0mm | 12 |

PROXIMATE® Reloadable Staplers (TX)



Number Open Closed Product Cartridge of Staple Staple **Staple** Reload Max EA/ **Tissue** Code Color Rows **Thickness** Height Height Included Firings BX TX30V White 3 2.5mm 1.0mm 3 Vascular Yes 8 2 3 3.5mm 1.5mm 8 **TX30B** Blue Regular Yes **TX30G** 2 Thick 4.8mm 2.0mm Yes 8 3 Green 2 3.85m 1.5mm 8 3 **TX60B** Blue Regular Yes TX60G 2 4.8mm 8 3 Green Thick 2.0mm Yes

PROXIMATE® Reloadable Staplers Cartridge (TX)



| Product Code | Cartridge Color | Number of Staple Rows | Tissue Thickness | Open Staple Height | Closed Staple Height | EA/BX |
|-----------------|--------------------|-----------------------------|---------------------|--------------------------|----------------------------|-------|
| XR30V | White | 3 | Vascular | 2.5mm | 1.0mm | 12 |
| XR30B | Blue | 2 | Regular | 3.5mm | 1.5mm | 12 |
| XR30G | Green | 2 | Thick | 4.8mm | 2.0mm | 12 |
| XR60B | Blue | 2 | Regular | 3.5mm | 1.5mm | 12 |
| XR60G | Green | 2 | Thick | 4.8mm | 2.0mm | 12 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Surgical Stapling products.

PROXIMATE® PPH Circular Stapler



| Product Code | Size | Number of Staple Rows | Closed Staple Height | EA/BX |
|-----------------|------|--------------------------|-------------------------|-------|
| PPHO3 | 33mm | 2 | 0.75mm-1.5mm | 3 |

Ethicon Procedure Cart™



| Product Code | Procedure Cart | Top Sliding Bins (20 total) | Pivoting Bins (5 total) | Bottom Drawer (2 total) | EA/BX |
|-----------------|-----------------------------------|--|--|--|-------|
| EPCO1 | 3'7" wide 2' deep 5'3" high | Each bin is: 5.9" wide 11.3" deep 2.6" high | Each bin is: 6" wide 8.8" deep 11.2" high | Each drawer is: 2'8" wide 1'7" deep 1'1" high | 1 |

Uterine & Pelvic Surgery

Learn more about the portfolio on jnjmedicaldevices.com



Uterine & Pelvic Surgery







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Uterine & Pelvic Surgery products.

GYNECARE INTERCEED® Absorbable Adhesion Barrier



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>4350</u> | GYNECARE INTERCEED® Absorbable Adhesion Barrier, 3" x 4" (7.6cm x 10.2cm) | 10 |
| 4350XL | GYNECARE INTERCEED® Absorbable Adhesion Barrier XL, 5" x 6" (12.7cm x 15.2cm) | 10 |

GYNECARE TVT ABBREVO® Continence



| Product Code | Description | EA/BX |
|--------------|-----------------------|-------|
| TVTOML | GYNECARE TVT ABBREVO® | 1 |

GYNECARE TVT EXACT® Continence System



| Product Code | Description | EA/BX |
|---------------------|---------------------------------|-------|
| <u>TVTRL</u> | GYNECARE TVT EXACT® | 1 |
| <u>810061</u> | Rigid catheter guide (reusable) | 1 |

GYNECARE TVT™ Obturator System tension-free support for incontinence



| Product Code | Description | EA/BX |
|----------------|--|-------|
| <u>810081</u> | GYNECARE TVT™ Obturator System | 1 |
| <u>810081L</u> | GYNECARE TVT™ Laser Cut Obturator System | 1 |

GYNECARE TVT™ Retropubic System tension-free support for incontinence



| Product Code | Description | EA/BX |
|-----------------|-------------------------------------|-------|
| <u>810041A</u> | GYNECARE TVT™ with abdominal guides | 1 |
| <u>810041B</u> | GYNECARE TVT™ (mechanical cut mesh) | 1 |
| <u>810041BL</u> | GYNECARE TVT™ (laser cut mesh) | 1 |
| 830041 | GYNECARE TVT™ Undyed | 3 |
| <u>830041B</u> | GYNECARE TVT™ (mechanical cut mesh) | 3 |
| 830041BL | GYNECARE TVT™ (laser cut mesh) | 3 |
| <u>810051</u> | Introducer handle (reusable) | 1 |
| <u>810061</u> | Rigid catheter guide (reusable) | 1 |

Uterine & Pelvic Surgery







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Uterine & Pelvic Surgery products.

ARTISYN® Y-Shaped Mesh



| Product Code | Description | EA/BX |
|---------------|-------------|-------|
| <u>ARTY</u> | 27cm x 5cm | 1 |
| <u>ARTY5L</u> | 27cm x 5cm | 5 |

GYNECARE GYNEMESH® PS Nonabsorbable PROLENE® Soft Mesh




| Product Code | Description | EA/BX |
|--------------|-------------|-------|
| <u>GPSL</u> | 10cm x 15cm | 1 |
| GPSXL3 | 25cm x 25cm | 3 |

Learn more about the portfolio on jnjmedicaldevices.com



View **every suture** in our online catalog

Sort by needle point type, length, suture material, and more.



Over 3700 to choose from!









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Symmetric PDS™ Plus Knotless Tissue Control Device -Unidirectional dyed



| Taper Point | Suture USP | Color | Ler (In) | gth (cm) | EA/BX | Code |
|------------------------|---------------|--------|-------------|-------------|-------|------------------|
| CT-1, 1/2 Circle, 36mm | 2-0 | Violet | 18 | 45 | 12 | <u>SXPP1A4O3</u> |
| CT-2, 1/2 Circle, 26mm | 0 | Violet | 12 | 23 | 12 | SXPP1A446 |
| CT-2, 1/2 Circle, 26mm | 0 | Violet | 18 | 45 | 12 | <u>SXPP1A407</u> |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 9 | 23 | 12 | SXPP1A425 |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 12 | 30 | 12 | <u>SXPP1A433</u> |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 18 | 45 | 12 | SXPP1A401 |
| CT, 1/2 Circle, 40mm | 0 | Violet | 18 | 45 | 12 | <u>SXPP1A406</u> |
| CTX, 1/2 Circle, 48mm | 0 | Violet | 18 | 45 | 12 | SXPP1A402 |
| CTX, 1/2 Circle, 48mm | 0 | Violet | 24 | 60 | 12 | <u>SXPP1A442</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Violet | 6 | 15 | 12 | <u>SXPP1A420</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Violet | 12 | 30 | 12 | <u>SXPP1A435</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Violet | 18 | 45 | 12 | <u>SXPP1A404</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Violet | 24 | 60 | 12 | <u>SXPP1A443</u> |
| CT, 1/2 Circle, 40mm | 1 | Violet | 18 | 45 | 12 | <u>SXPP1A405</u> |
| CT, 1/2 Circle, 40mm | 1 | Violet | 24 | 60 | 12 | SXPP1A444 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Symmetric PDS™ Plus Knotless Tissue Control Device -Unidirectional dyed

continued

| Taper Point | Suture USP | Color | Ler (In) | igth (cm) | EA/BX | Code |
|-----------------------|---------------|--------|-------------|--------------|-------|------------------|
| | | | (| ,, | | |
| CTX, 1/2 Circle, 48mm | 1 | Violet | 18 | 45 | 12 | <u>SXPP1A400</u> |
| | | | | | | |
| | 1 | Violet | 24 | 60 | 12 | <u>SXPP1A445</u> |
| CTX, 1/2 Circle, 48mm | | | | | | |

| Cutting Edge | Suture | Length | | | | |
|------------------------|--------|--------|------|------|-------|------------------|
| Reverse | USP | Color | (In) | (cm) | EA/BX | Code |
| OS-6, 1/2 Circle, 36mm | 1 | Violet | 18 | 45 | 12 | <u>SXPP1A201</u> |
| OS-6, 1/2 Circle, 36mm | 1 | Violet | 24 | 60 | 12 | <u>SXPP1A2O3</u> |

| Blunt Point | | | | | | |
|--------------------------|-----|--------|------|------|-------|------------------|
| Blunt Point Ethiguard | USP | Color | (In) | (cm) | EA/BX | Code |
| \bigcup | 1 | Violet | 18 | 45 | 12 | <u>SXPP1A300</u> |
| CTXB, 1/2 Circle, 48mm | | | | | | |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Spiral MONOCRYL™
Plus Knotless Tissue Control Device Unidirectional undyed



| | Suture | | Length | | | |
|----------------------|--------|--------|--------|------|-------|------------------|
| Taper Point | USP | Color | (ln) | (cm) | EA/BX | Code |
| SH, 1/2 Circle, 26mm | 3-0 | Undyed | 9 | 23 | 12 | <u>SXMP1B427</u> |
| SH, 1/2 Circle, 26mm | 2-0 | Undyed | 9 | 23 | 12 | SXMP1B409 |

| Cutting Edge Prime Reverse | Suture USP | Color | Ler (In) | ngth (cm) | EA/BX | Code |
|-------------------------------|---------------|--------|-------------|--------------|-------|------------------|
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 12 | 30 | 12 | <u>SXMP1B117</u> |
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 18 | 45 | 12 | <u>SXMP1B118</u> |
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 27 | 70 | 12 | SXMP1B119 |
| PS-1, 3/8 Circle, 24mm | 3-0 | Undyed | 18 | 45 | 12 | <u>SXMP1B102</u> |
| PS-1, 3/8 Circle, 24mm | 3-0 | Undyed | 24 | 60 | 12 | SXMP1B103 |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 12 | 30 | 12 | SXMP1B106 |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 18 | 45 | 12 | <u>SXMP1B107</u> |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 24 | 60 | 12 | <u>SXMP1B108</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Spiral PDS™ Plus Knotless Tissue Control Device - Unidirectional dyed



| Taper Point | Suture USP | Color | Len (In) | igth (cm) | EA/BX | Code |
|--------------------------|---------------|---------|-------------|--------------|-------|------------------------------|
| C Taper Found | 001 | 00101 | (111) | CITI | | Couc |
| | 3-0 | Violet | 6 | 15 | 12 | SXPP1B420 |
| SH, 1/2 Circle, 26mm | | | | | | |
| \mathcal{O} | 3-0 | Violet | 6 | 15 | 12 | SXPP1B422 |
| RB-1, 1/2 Circle, 17mm | 3 0 | VIOICE | Ŭ | 10 | 12 | <u> </u> |
| \bigcup | 2.0 | \/iolot | 6 | 1⊏ | 10 | CVDD1D 400 |
| CT-1, 1/2 Circle, 36mm | 2-0 | Violet | 6 | 15 | 12 | <u>SXPP1B409</u> |
| | | | | | | |
| CT-1, 1/2 Circle, 36mm | 2-0 | Violet | 12 | 30 | 12 | <u>SXPP1B410</u> |
| CTI, I/2 CIICIE, JOHIIII | | | | | | |
| \bigcirc | 2-0 | Violet | 18 | 45 | 12 | SXPP1B411 |
| CT-1, 1/2 Circle, 36mm | | | | | | |
| \cup | 2-0 | Violet | 6 | 15 | 12 | SXPP1B41 <u>5</u> |
| SH, 1/2 Circle, 26mm | 20 | VIOIEL | O | IJ | IZ | <u> 3866 10413</u> |
| | | | | | | |
| SH, 1/2 Circle, 26mm | 2-0 | Violet | 12 | 30 | 12 | SXPP1B416 |
| STI, I/2 CITCIC, ZOTTITT | | | | | | |
| \circ | 0 | Violet | 6 | 15 | 12 | SXPP1B406 |
| CT-1, 1/2 Circle, 36mm | | | | | | |
| \bigcirc | 0 | Violet | 12 | 30 | 12 | SXPP1B450 |
| CT-1, 1/2 Circle, 36mm | J | VIOICE | 12 | 50 | 12 | <u>5/11 10150</u> |
| \cup | | \ | 10 | 20 | 10 | CVPP4D 405 |
| CT-2, 1/2 Circle, 26mm | 0 | Violet | 12 | 30 | 12 | <u>SXPP1B405</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Spiral PDO Knotless Tissue Control Device - Bidirectional dyed



| | Suture | | | ngth | | |
|---|--------|--------|---------|---------|-------|------------------|
| Taper Point | USP | Color | (In) | (cm) | EA/BX | Code |
| MH, MH, 1/2 Circle - 1/2 Circle, 36mm, 36mm | 2-0 | Violet | 9 x 9 | 23 x 23 | 12 | <u>SXPD2B408</u> |
| MH, MH, 1/2 Circle - 1/2 Circle, 36mm, 36mm | 2-0 | Violet | 14 x 14 | 36 x 36 | 12 | <u>SXPD2B412</u> |
| OS-8, OS-8, 1/2 Circle - 1/2 Circle, 36mm, 36mm | 1 | Violet | 14 x 14 | 36 x 36 | 12 | <u>SXPD2B2O2</u> |
| MO-4, MO-4, 1/2 Circle - 1/2 Circle, 36mm, 36mm | 1 | Violet | 14 × 14 | 36 x 36 | 12 | <u>SXPD2B400</u> |
| CTX, CTX, 1/2 Circle - 1/2 Circle, 48mm, 48mm | 1 | Violet | 14 x 14 | 36 x 36 | 12 | <u>SXPD2B405</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>complete STRATAFIX™ Catalog</u> for more details on STRATAFIX™ products.

STRATAFIX™ Spiral PGA-PCL Knotless Tissue Control Device - Bidirectional undyed



| Taper Point | Suture USP | Color | Leı (In) | ngth (cm) | EA/BX | Code |
|---|---------------|--------|-------------|--------------|-------|------------------|
| FS-2, FS-2, 3/8 Circle - 3/8 Circle, 19mm, 19mm | 4-0 | Undyed | 5 x 5 | 14 X 14 | 12 | <u>SXMD2B407</u> |
| FS-2, FS-2, 3/8 Circle - 3/8 Circle, 19mm, 19mm | 4-0 | Undyed | 12 x 12 | 30 x 30 | 12 | SXMD2B409 |
| FS-2, FS-2, 3/8 Circle - 3/8 Circle, 19mm, 19mm | 3-0 | Undyed | 12 x 12 | 30 x 30 | 12 | SXMD2B408 |
| FS-1, FS-1, 3/8 Circle - 3/8 Circle, 24mm, 24mm | 3-0 | Undyed | 12 x 12 | 30 x 30 | 12 | SXMD2B410 |
| FS, FS, 3/8 Circle - 3/8 Circle, 26mm, 26mm | 3-0 | Undyed | 12 x 12 | 30 x 30 | 12 | SXMD2B412 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

MONOCRYL® Plus Antibacterial (poliglecaprone 25) Suture



| Cutting Edge Prime Reverse | Suture USP | Color | Length | EA/BX | Code |
|-------------------------------|---------------|--------|------------|-------|----------------|
| P-3, 3/8 Circle, 13mm | 5-0 | Undyed | 1in X 18in | 12 | <u>MCP493G</u> |
| P-3, 3/8 Circle, 13mm | 4-0 | Undyed | 1in X 18in | 12 | <u>MCP494G</u> |
| PS-1, 3/8 Circle, 24mm | 4-0 | Undyed | 1in X 27in | 36 | <u>MCP935H</u> |
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 1in X 18in | 12 | MCP496G |
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 1in X 27in | 36 | <u>MCP426H</u> |
| PS-1, 3/8 Circle, 24mm | 3-0 | Undyed | 1in X 27in | 36 | <u>MCP936H</u> |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 1in X 27in | 36 | MCP427H |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 1in X 18in | 12 | <u>MCP497G</u> |

COATED VICRYL® Plus Antibacterial (polyglactin 910) Suture



| Taper Point | Suture USP | Color | Length | EA/BX | Code |
|------------------------|---------------|--------|------------|-------|----------------|
| RB-1, 1/2 Circle, 17mm | 4-0 | Undyed | 8in X 18in | 12 | <u>VCP714D</u> |
| SH, 1/2 Circle, 26mm | 3-0 | Undyed | 8in X 18in | 12 | VCP864D |
| SH, 1/2 Circle, 26mm | 3-0 | Undyed | 1in X 27in | 36 | <u>VCP416H</u> |
| SH, 1/2 Circle, 26mm | 3-0 | Violet | 8in X 18in | 12 | <u>VCP774D</u> |
| SH, 1/2 Circle, 26mm | 3-0 | Violet | 1in X 27in | 36 | <u>VCP316H</u> |
| RB-1, 1/2 Circle, 17mm | 3-0 | Violet | 8in X 18in | 12 | <u>VCP713D</u> |
| SH, 1/2 Circle, 26mm | 2-0 | Undyed | 1in X 27in | 36 | <u>VCP417H</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

COATED VICRYL® Plus Antibacterial (polyglactin 910) Suture

continued

| Taper Point | Suture USP | Color | Length | EA/BX | Code |
|------------------------|---------------|--------|------------|-------|----------------|
| SH, 1/2 Circle, 26mm | 2-0 | Violet | 8in X 18in | 12 | <u>VCP775D</u> |
| CT-1, 1/2 Circle, 36mm | 2-0 | Undyed | 1in X 36in | 36 | <u>VCP945H</u> |
| CT-1, 1/2 Circle, 36mm | 2-0 | Undyed | 8in X 18in | 12 | <u>VCP839D</u> |
| CT-1, 1/2 Circle, 36mm | 2-0 | Undyed | 1in X 27in | 36 | <u>VCP259H</u> |
| CT-1, 1/2 Circle, 36mm | 2-0 | Violet | 8in X 18in | 12 | <u>VCP739D</u> |
| CT-2, 1/2 Circle, 26mm | 2-0 | Violet | 8in X 18in | 12 | <u>VCP726D</u> |
| CT-2, 1/2 Circle, 26mm | 2-0 | Undyed | 1in X 27in | 36 | <u>VCP269H</u> |
| CP-2, 1/2 Circle, 26mm | 2-0 | Undyed | 8in X 18in | 12 | <u>VCP762D</u> |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 8in X 27in | 12 | VCPP31D |
| CT-1, 1/2 Circle, 36mm | 0 | Undyed | 8in X 27in | 12 | VCPP41D |
| CT-1, 1/2 Circle, 36mm | 0 | Undyed | 1in X 36in | 36 | <u>VCP946H</u> |
| CT-1, 1/2 Circle, 36mm | 0 | Undyed | 8in X 18in | 12 | VCP840D |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 8in X 18in | 12 | VCP740D |
| CT-1, 1/2 Circle, 36mm | 0 | Violet | 1in X 36in | 36 | <u>VCP346H</u> |
| CT-1, 1/2 Circle, 36mm | 0 | Undyed | 1in X 27in | 36 | <u>VCP260H</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

COATED VICRYL® Plus Antibacterial (polyglactin 910) Suture

continued

| Taper Point | Suture USP | Color | Length | EA/BX | Code |
|------------------------|---------------|--------|------------|-------|----------------|
| MO-4, 1/2 Circle, 36mm | 0 | Violet | 8in X 18in | 12 | <u>VCP701D</u> |
| CT-2, 1/2 Circle, 26mm | 0 | Violet | 8in X 18in | 12 | <u>VCP727D</u> |
| CT-2, 1/2 Circle, 26mm | 0 | Undyed | 1in X 27in | 36 | <u>VCP270H</u> |
| UR-6, 5/8 Circle, 26mm | 0 | Violet | 1in X 27in | 36 | <u>VCP603H</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Undyed | 1in X 36in | 36 | <u>VCP947H</u> |
| CT-1, 1/2 Circle, 36mm | 1 | Undyed | 8in X 18in | 12 | VCP841D |
| CT-1, 1/2 Circle, 36mm | 1 | Violet | 8in X 18in | 12 | <u>VCP741D</u> |
| CTX, 1/2 Circle, 48mm | 1 | Violet | 8in X 18in | 12 | <u>VCP765D</u> |

| Cutting Edge Reverse | Suture USP | Color | Length | EA/BX | Code |
|-------------------------|---------------|--------|------------|-------|----------------|
| X-1, 1/2 Circle, 22mm | 3-0 | Violet | 8in X 18in | 12 | VCP790D |
| CP-1, 1/2 Circle, 36mm | 2-0 | Undyed | 1in X 27in | 36 | <u>VCP266H</u> |
| CTX, 1/2 Circle, 48mm | 1 | Undyed | 1in X 36in | 36 | <u>VCP977H</u> |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

COATED VICRYL® Plus Antibacterial (polyglactin 910) Suture

continued

| Cutting Edge Prime Reverse | Suture USP | Color | Length | EA/BX | Code |
|-------------------------------|---------------|--------|------------|-------|----------------|
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 1in X 27in | 36 | <u>VCP426H</u> |
| PS-2, 3/8 Circle, 19mm | 4-0 | Undyed | 1in X 18in | 36 | <u>VCP496H</u> |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 1in X 27in | 36 | <u>VCP427H</u> |
| PS-2, 3/8 Circle, 19mm | 3-0 | Undyed | 1in X 18in | 36 | <u>VCP497H</u> |
| PS-1, 3/8 Circle, 24mm | 3-0 | Undyed | 1in X 27in | 36 | <u>VCP936H</u> |

| No Needle | Suture USP | Color | Length | EA/BX | Code |
|-------------------|---------------|--------|-------------|-------|---------|
| NO NEEDLE, NA, NA | 3-0 | Undyed | 12in X 18in | 12 | VCP110G |
| NO NEEDLE, NA, NA | 2-0 | Undyed | 12in X 18in | 12 | VCP111G |

DERMABOND ADVANCED® Topical Skin Adhesive



| Product Code | Description | Adhesive Volume | EA/BX |
|--------------|---|--------------------|-------|
| DNX12 | Unique formulation with an easy-to-use applicator for precise control for wide and fine line applications | 0.7mL | 12 |
| DNX6 | Unique formulation with an easy-to-use applicator for precise control for wide and fine line applications | 0.7mL | 6 |

DERMABOND® PRINEO® Skin Closure System



| Product Code | Description | Adhesive Volume | EA/BX |
|--------------|--|--------------------|-------|
| CLR222US | 2-octylcyanoacrylate topical skin adhesive applicator. Flexible, self-adhesive polyester mesh | 22cm | 2 |
| CLR602US | 2-octylcyanoacrylate topical skin adhesive applicator. Flexible, self-adhesive polyester mesh tape dispenser | 60cm | 2 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

DERMABOND® PRINEO®



| Product Code | Description | Adhesive Volume | EA/BX |
|--------------|--|--------------------|-------|
| CLR422US | 2-octylcyanoacrylate topical skin adhesive applicator. Flexible, self-adhesive polyester mesh tape dispenser | 42cm | 2 |

DERMABOND® Mini Topical Skin Adhesive




| Product Code | Description | Adhesive Volume | EA/BX |
|--------------|---|--------------------|-------|
| DHVM12 | 2-octylcyanoacrylate high viscosity formulation for small incisions and lacerations | 0.36mL | 12 |

ENDOSUTURE ENDO-HOLDER™



| Product Code | Description | EA/BX |
|--------------|---|-------|
| <u>EC11</u> | EN-3 Needle - O, 42" Suture | 12 |
| <u>EC12</u> | EN-3 Needle - 2-0, 42" Suture | 12 |
| <u>ESS15</u> | ENDO-HOLDER" Cannula (for use with 5mm diameter trocar) | 1 |

ENDOKNOT® Pre-Tied Suture



| Product Code | Description | EA/BX |
|--------------|---|-------|
| EXIOG | ETHIBOND® Extra Suture, ST-3 needle, 0, 42" | 12 |
| <u>JK10G</u> | Coated VICRYL® Suture, ST-3 needle, O, 42" | 12 |
| ZK10G | PDS® II Suture, ST-3 needle, O, 42" | 12 |

ENDOLOOP® Ligature· made from PDS (polydioxanone) suture



| Product Code | Description | EA/BX |
|--------------|--|-------|
| <u>EZIOG</u> | ENDOLOOP® Ligature made from PDS® II O 18" 12 (polydioxanone) Suture | 12 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

ENDOLOOP® Chromic (or plain) Gut Ligature VICRYL® (polyglactin 910) Suture



| Product Code | Description | EA/BX |
|--------------|--|-------|
| <u>EJIOG</u> | ENDOLOOP® Ligature made from VICRYL® O 18" 12 (polyglactin 910) Suture | 12 |

ENDOPATH® Needle Holders



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>E705R</u> | ENDOPATH® Needle Holder, reusable, 5mm, 30cm length | 1 |
| E705RL | ENDOPATH® Needle Holder, reusable, 5mm, 45cm length | 1 |
| <u>SRNHI</u> | Self Righting Needle Holder, reusable, 5mm, 30cm length | 1 |
| <u>SRNHIL</u> | Self Righting Needle Holder, reusable, 5mm, 45cm length | 1 |

LAPRA-TY® Suture Clip



| Product Code | Description | EA/BX |
|--------------|---|-------|
| <u>KA200</u> | Sterile, one-piece clips molded from the polymer poly | 1 |
| | (p-dioxanone). | I |
| <u>XC200</u> | Sterile, one-piece clips molded from the polymer poly | C |
| | (p-dioxanone). | 6 |

Suture Assistant



| Product Code | Needle Type | EA/BX |
|---------------------|--|-------|
| <u>SW100</u> | N/A | 4 |
| <u>SW110</u> | 6" ETHIBOND EXCEL® (size 0) and EEN (canoe) needle | 10 |
| <u>SW112</u> | 6" ETHIBOND EXCEL® (size 2-0) and EEN (canoe) needle | 10 |
| <u>SW120</u> | 6" ETHIBOND EXCEL® (size 0) and SH needle | 10 |
| SW122 | 6" ETHIBOND EXCEL® (size 2-0) and SH Needle | 10 |
| SW222 | 6" VICRYL® (size 2-0) and SH Needle | 10 |

PROXIMATE® Rotating Head Skin Staplers



| Product Code | Number of Staples | Staple Leg Length | Staple Wire Diameter | Staple Crown | Size | EA/BX |
|-----------------|----------------------|----------------------|-------------------------|-----------------|---------|-------|
| PRR35 | 35 | 3.9 | 0.53 | 5.7 | Regular | 6 |
| <u>PRW35</u> | 35 | 3.9 | 0.58 | 6.9 | White | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Wound Closure products.

PROXIMATE® Plus MD Skin Stapler



| Product Code | Number of Staples | Staple Leg Length | Staple Wire Diameter | Staple Crown | Size | EA/BX |
|-----------------|----------------------|----------------------|-------------------------|-----------------|---------|-------|
| <u>PMR35</u> | 35 | 3.9 | 0.53 | 5.7 | Regular | 6 |
| <u>PMW35</u> | 35 | 3.9 | 0.58 | 6.9 | Wide | 6 |

PROXIMATE® PX Fixed Head Skin Staplers



| Product Code | Number of Staples | Staple Leg Length | Staple Wire Diameter | Staple Crown | Size | EA/BX |
|-----------------|----------------------|----------------------|-------------------------|-----------------|---------|-------|
| PXR35 | 35 | 3.9 | 0.53 | 5.7 | Regular | 6 |
| <u>PXW35</u> | 35 | 3.9 | 0.58 | 6.9 | Wide | 6 |

Staple Extractor



| Product Code | Description | EA/BX |
|--------------|---------------------------------|-------|
| <u>PSX</u> | Squeeze handle staple extractor | 12 |

Vascular Access & Infection Control

Learn more about the portfolio on jnjmedicaldevices.com





Indications for Use

BIOPATCH® containing Chlorhexidine Gluconate is intended for use as a hydrophilic wound dressing that is used to absorb exudate and to cover a wound caused by the use of vascular and non-vascular percutaneous medical devices such as: IV catheters, central venous lines, arterial catheters, dialysis catheters, peripherally inserted coronary catheters, mid-line catheters, drains, chest tubes, externally placed orthopedic pins, and epidural catheters. It is also intended to reduce local infections, catheter-related blood stream infections (CRBSI), and skin colonization of microorganisms commonly related to CRBSI, in patients with central venous or arterial catheters.

Vascular Access & Infection Control







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Vascular Access & Infection Control products.

BIOPATCH Protective Disk with CHG



| Product Code | Size | French Size Range | Common Uses |
|-----------------|--------------------------------------|----------------------|----------------------|
| <u>4150</u> | 1" disc (2.5cm) w/4mm center hole | 6-12Fr | Central Lines, PICCs |

BIOPATCH Protective Disk with CHG




| Product Code | Size | French Size Range | Common Uses |
|-----------------|--|----------------------|--|
| <u>4151</u> | 3/4" disc (1.9cm) w/1.Smm center hole | <6Fr | Peripheral IVs, Huber Needles (ports), Arterial Lines, Extended Dwell PIVs, Midlines/PICCS, Pins |

BIOPATCH Protective Disk with CHG



| Product Code | Size | French Size Range | Common Uses |
|-----------------|--|----------------------|---|
| <u>4152</u> | 1" disc (1.9cm) w/2.5mm center hole | 13-20Fr | Dialysis, Drians, Sheaths, Cordis, VAD drive Lines |

Learn more about the portfolio on <u>jnjmedicaldevices.com</u>









Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Other Devices products.

ENDOPATH® Bipolar Forceps



| Product Code | Shaft Diameter | Jaw | EA/BX |
|--------------|----------------|-------|-------|
| EBF01 | 5mm | Macro | 5 |
| EBFO2 | 5mm | Micro | 5 |

ENDOPATH® Active CordsFor use with bipolar forceps

| Product Code | Description | EA/BX |
|--------------|--|-------|
| EBCO2 | Reusable coaxial pin connector bipolar cord, gray, 1 prong | 1 |
| EBCO5 | Active return cord for bipolar instruments fixed pin connector | 1 |

ENDOPATH® Scissors



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| <u>5DCS</u> | Scissors, curved, with monopolar cautery, 5mm | 6 |


ENDOPATH® Graspers



| Product Code | Description | EA/BX |
|--------------|---------------|-------|
| <u>10AG</u> | Anvil grasper | 6 |
| <u>5DSG</u> | Grasper, 5mm | 6 |

ENDOPATH® Bipolar Forceps





ENDOPATH® Babcocks



| Product Code | Description | EA/BX |
|--------------|---------------|-------|
| <u>5BB</u> | Babcock, 5mm | 6 |
| <u>10BB</u> | Babcock, 10mm | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Other Devices products.

Purse String Clamp

Multi-patient use



| Product Code | Description | EA/BX |
|---------------------|------------------------------|-------|
| <u>EH40</u> | Reusable, purse string clamp | 1 |

ENDOPOUCH® Specimen Retrieval Bag



| Product Code | Diameter | Size | Volume | EA/BX |
|--------------|----------|-------------|--------|-------|
| <u>POUCH</u> | 10mm | 4 in x 6 in | 224ml | 6 |

ENDOPATH® Electrosurgery PROBE PLUS® II System



| Product Code | Grip | Control | EA/BX |
|---------------------|--------|---------|-------|
| | | | |
| EPHO2 | Pistol | Hand | 6 |
| | | | |
| EPHO4 | Pencil | Hand | 6 |

ENDOPATH® Electrosurgery PROBE PLUS® II Electrode Shafts



| Product Code | Shaft Diameter | Shaft Length | Electrode | EA/BX |
|--------------|----------------|--------------|------------------|-------|
| EPSO1 | 5mm | 34cm | Hook | 6 |
| EPSO2 | 5mm | 34cm | Spatula | 6 |
| EPSO3 | 5mm | 34cm | Right angle | 6 |
| EPSO4 | 5mm | 34cm | Curved dissector | 6 |
| EPSO5 | 5mm | 29cm | Hook | 6 |
| EPSO6 | 5mm | 29cm | Spatula | 6 |
| EPSO7 | 5mm | 29cm | Right angle | 6 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Other Devices products.

spike

ENDOPATH® Electrosurgery PROBE PLUS® II Tubing





EPTO3

| Product Code | Description | EA/BX |
|--------------|---|-------|
| EPTO1 | PROBE PLUS® II, dual-bottle irrigation tube set | 6 |
| | | |

PROBE PLUS® II, pressurized bag irrigation tube set with

BLAKE® Cardio Connectors



| Product Code | Description | EA/BX |
|---------------------|---|-------|
| BCC1 | BLAKE® Cardio Connector 1:1 - compatible with 19 and 24Fr round hubless drains | 1 |
| BCC2 | BLAKE® Cardio Connector 2:1 - compatible with 19 and 24Fr round hubless drains | 1 |
| BCC3 | BLAKE® Cardio Connector 3:1 - compatible with 19 and 24Fr round hubless drains | 1 |

BLAKE® Silicone Drains - Flat



| Product Code | Material | EA/BX |
|--------------|--------------------------------------|-------|
| <u>2210</u> | 7mm flat, 3/4 fluted | 1 |
| <u>2211</u> | 7mm flat, full fluted | 1 |
| <u>2212</u> | 7mm flat, full fluted, 3/16" trocar | 1 |
| <u>2213</u> | 10mm flat, 3/4 fluted | 1 |
| <u>2214</u> | 10mm flat, full fluted | 1 |
| <u>2215</u> | 10mm flat, full fluted, 3/16" trocar | 1 |
| <u>2216</u> | 7mm flat, 3/4 fluted, 3/16" trocar | 1 |
| <u>2217</u> | 10mm flat, 3/4 fluted, 3/16" trocar | 1 |







Interested in ordering? Click on a <u>product code</u> and add it to your shopping cart on J&J Customer Connect. Requires customer login. Visit the <u>Ethicon Product Center (EPC)</u> for more details on Other Devices products.

BLAKE® Silicone Drains - Hubless



| Product Code | Material | EA/BX |
|---------------------|--|-------|
| <u>2226</u> | Hubless, 10Fr round | 1 |
| <u>2227</u> | Hubless, 10Fr round, 1/8" trocar | 1 |
| <u>2228</u> | Hubless, 15Fr round | 1 |
| <u>2229</u> | Hubless, 15Fr round, 3/16" trocar | 1 |
| <u>2230</u> | Hubless, 19Fr round | 1 |
| 2231 | Hubless, 19Fr round, 1/4" trocar | 1 |
| <u>2232</u> | Hubless, 19Fr round, 1/4" bendable trocar | 1 |
| 2233 | Hubless, 15Fr round, 3/16" bendable trocar | 1 |
| <u>2234</u> | Hubless, 24Fr round | 1 |

J-VAC® Reservoirs - Sterile



| Product Code | Description | EA/BX |
|--------------|---------------------------------------|-------|
| <u>2161</u> | 150ml closed wound drainage reservoir | 1 |
| <u>2162</u> | 450ml closed wound drainage reservoir | 1 |
| <u>2163</u> | 300ml closed wound drainage reservoir | 1 |

J-VAC® Bulb Suction Reservoirs - Sterile Bulbs



| Product Code | Material | EA/BX |
|--------------|------------------------------|-------|
| <u>2160</u> | 100cc bulb suction reservoir | 1 |

J-VAC® Silicone Drains
- Drain Adapters







| Product Code | Material | EA/BX |
|---------------------|----------------------------|-------|
| <u>2209</u> | J-VAC Drain Adapters 1/8" | 1 |
| <u>2199</u> | J-VAC Drain Adapters 1/4" | 1 |
| <u>2298</u> | J-VAC Drain Adapters 3/16" | 1 |







EVITHROM® Thrombin, Topical (Human) for Topical Use Only

Lyophilized Powder for Solution

EVITHROM® is a topical thrombin indicated as an aid to hemostasis whenever oozing blood and minor bleeding from capillaries and small venules is accessible and control of bleeding by standard surgical techniques (such as suture, ligature or cautery) is ineffective or impractical.

EVITHROM® may be used in conjunction with an Absorbable Gelatin Sponge, USP.

Important Safety Information

- For topical use only.
- · Do not inject.
- Apply EVITHROM® on the surface of bleeding tissue only.
- The amount of EVITHROM® required depends upon the area of tissue to be treated and the method of application. In clinical studies, volumes up to 10 ml were used in conjunction with Absorbable Gelatin Sponge.
- Do not use for the treatment of severe or brisk arterial bleeding.
- Do not use in individuals known to have anaphylactic or severe systemic reaction to human blood products. Hypersensitivity reactions, including anaphylaxis, may occur.
- There is a potential risk of thrombosis if absorbed systemically.
- May carry a risk of transmitting infectious agents such as viruses and theoretically, the Creutzfeldt-Jakob disease (CJD) agent, despite manufacturing steps designed to reduce the risk of viral transmission.
- The most common adverse reactions during clinical trial (reported in at least 2% of subjects treated with EVITHROM®) were prolonged activated partial thromboplastin time, increased INR, decreased lymphocyte count, prolonged prothrombin time and increased neutrophil count.
- None of the patients treated with EVITHROM developed antibodies to human thrombin or to human Factor V/Va. The clinical significance of these findings is unknown.

For complete indications, contraindications, warnings, precautions, and adverse reactions, please reference full package insert.







EVARREST® Fibrin Sealant Patch IMPORTANT SAFETY INFORMATION

Indications and Usage

EVARREST® is a fibrin sealant patch indicated for use with manual compression as an adjunct to hemostasis in adult patients undergoing surgery, when control of bleeding by conventional surgical techniques (such as suture, ligature, and cautery) is ineffective or impractical.

Limitations for Use

- Cannot be used in place of sutures or other forms of mechanical ligation in the treatment of major arterial or venous bleeding.
- Not for use in children under one month of age
- · Laparoscopic and other minimally invasive surgeries where manual compression would be difficult to achieve.

Important Safety Information

For topical use only. Apply immediate manual compression over the entire surface of the patch and maintain contact pressure for 3 minutes to control the bleeding.

Do not apply intravascularly. This can result in life threatening thromboembolic events.

Do not use to treat bleeding from large defects in arteries or veins where the injured vascular wall requires conventional surgical repair and maintenance of vessel patency or where there would be persistent exposure of EVARREST® to blood flow and/or pressure during absorption of the product. Thrombosis can occur if absorbed systemically.

Do not use in individuals known to have anaphylactic or severe systemic reaction to human blood products. EVARREST * can cause hypersensitivity reactions including anaphylaxis.

Avoid application to contaminated areas of the body or in the presence of active infection. Infection can occur.

EVARREST contains oxidized regenerated cellulose which adheres to bleeding surfaces. Inadvertent adhesions can occur.

Avoid use in, around, or in proximity to, foramina in bone or areas of bony confines where swelling may cause compression.

Use the least number of patches required to cover the entire bleeding area. Portions of excess patch material can become dislodged and migrate to other areas of the body.

Do not use more than eight 2x4 inch (5.1 x 10.2 cm) or more than four 4x4 inch (10.2 x 10.2 cm) patches.

Use in patients who have been previously exposed to EVARREST® has not been studied.

May carry a risk of transmitting infectious agents, e.g., viruses, the variant Creutzfeldt-Jakob disease (vCJD) agent and, theoretically, the Creutzfeldt-Jakob disease (CJD) agent.

The adverse reactions reported during clinical trials occurred in less than 1% of all cases and included deep venous thrombosis, pulmonary embolism, blood fibrinogen increase, anastomotic hemorrhage, post procedural and intra-abdominal hemorrhage, abdominal distension, anemia, gastrointestinal hemorrhage, thoracic cavity drainage, pleural effusion, abdominal abscess, ascites, localized intra-abdominal fluid collection, cardiac failure, operative hemorrhage, and ischemic bowel.

Pediatrics: Safety and effectiveness in pediatric patients have not been established. Use in children under the age of one month may be unsafe or ineffective due to small size and limited ability to apply the patch as recommended.

Please see package insert for EVARREST® Full Prescribing Information.

To report SUSPECTED ADVERSE REACTIONS, contact ETHICON Customer Support Center at 1-877-384-4266 or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

030813-171115







EVICEL® Fibrin Sealant (Human) IMPORTANT SAFETY INFORMATION

Indication

EVICEL® Fibrin Sealant (Human) is indicated as an adjunct to hemostasis for use in patients undergoing surgery, when control of bleeding by standard surgical techniques (such as suture, ligature, or cautery) is ineffective or impractical.

Contraindications

- Do not inject directly into the circulatory system. Intravascular application of EVICEL® may result in life-threatening thromboembolic events.
- Do not use in individuals known to have anaphylactic or severe systemic reaction to human blood products.
- Do not use for the treatment of severe or brisk arterial bleeding.
- Do not use EVICEL® for spraying in endoscopic or laparoscopic procedures where the minimum recommended distance from the applicator tip to the target site cannot be ensured.

Warnings and Precautions

- Life-threatening air or gas embolism has occurred with the use of spray devices employing a pressure regulator to administer EVICEL®. This event appears to be related to the use of the spray device at pressures higher than recommended and/or at distances closer than recommended to the surface of the tissue.
- Monitor changes in blood pressure, pulse, oxygen saturation, and end-tidal CO2 when spraying EVICEL® because of the possibility of gas embolism
- To reduce the risk of potentially life-threatening gas embolism, spray EVICEL® using only pressurized CO2 gas at the pressures and distances recommended for the specific tips.
- Use EVICEL® spray application only if it is possible to accurately judge the spray distance, especially during endoscopic or laparoscopic procedures.
- Prior to applying EVICEL®, dry surface areas of the wound by standard techniques (e.g. intermittent application of compresses, swabs, use of suction devices). Prepare and administer EVICEL® according to the instructions and with only devices recommended for this product.
- May carry a risk of transmitting infectious agents, e.g. viruses, the variant Creutzfeldt-Jakob disease (vCJD) agent and theoretically, the Creutzfeldt-Jakob disease (CJD) agent.

The most common adverse reactions reported in clinical trials are peripheral edema, abdominal abscess, infection, hematoma, incision site hemorrhage, vascular graft occlusion, postoperative wound complication and decreased hemoglobin.

For complete indications, contraindications, warnings, precautions, and adverse reactions, please reference full package insert.

021323-170803







GYNECARE INTERCEED® ABSORBABLE ADHESION BARRIER

Essential Product Information

INDICATIONS

GYNECARE INTERCEED Adhesion Barrier is indicated as an adjuvant in open (laparotomy) gynecologic pelvic surgery for reducing the incidence of postoperative pelvic adhesions after meticulous hemostasis is achieved consistent with microsurgical principles.

CONTRAINDICATIONS

The use of GYNECARE INTERCEED Adhesion Barrier is contraindicated in the presence of frank infection. GYNECARE INTERCEED Adhesion Barrier is not indicated as a hemostatic agent.

Appropriate means of achieving hemostasis must be employed.

WARNINGS

The safety and effectiveness of GYNECARE INTERCEED Adhesion Barrier in laparoscopic surgery or any procedures other than open (laparotomy) gynecologic microsurgical procedures have not been established.

Postoperative adhesions may be induced by GYNECARE INTERCEED Adhesion Barrier application if adjacent tissues (eg, ovary and tube) and structures are coapted or conjoined by the device, or if GYNECARE INTERCEED Adhesion Barrier is folded, wadded or layered. Care must be taken to apply GYNECARE INTERCEED Adhesion Barrier in single layers, interposed between adjacent anatomic structures at risk for adhesion formation.

Postoperative adhesions may occur in the presence of GYNECARE INTERCEED Adhesion Barrier if meticulous hemostasis is not achieved prior to application. As with all foreign substances, GYNECARE INTERCEED Adhesion Barrier should not be placed in a contaminated surgical site. Potentially contaminated surgical sites include hysterotomy following labor and/or prolonged rupture of membranes. The performance of GYNECARE INTERCEED Adhesion Barrier at potentially contaminated surgical sites has not been determined.

PRECAUTIONS

Use only a single layer of GYNECARE INTERCEED Adhesion Barrier, since multiple layers of packing or folding will not enhance the adhesion barrier characteristics and may interfere with the absorption rate of GYNECARE INTERCEED Adhesion Barrier. Care should be exercised in applying GYNECARE INTERCEED Adhesion Barrier to a pelvic organ not to constrict or restrict it. If the product comes in contact with blood prior to completing the procedure, it should be discarded, as fibrin deposition cannot be removed by irrigation and may promote adhesions formation.

Ectopic pregnancies have been associated with fertility surgery of the female reproductive tract. No data exist to establish the effect, if any, of GYNECARE INTERCEED Adhesion Barrier on the occurrence of ectopic pregnancies. No adequate studies have been conducted in women who have become pregnant within the first month after exposure to GYNECARE INTERCEED Adhesion Barrier. No teratogenic studies have been performed. Therefore, avoidance of conception should be considered during the first complete menstrual cycle after use of GYNECARE INTERCEED Adhesion Barrier. The safety and effectiveness of using GYNECARE INTERCEED Adhesion Barrier in combination with other adhesion prevention treatments have not been clinically established.

GYNECARE INTERCEED Adhesion Barrier is supplied sterile. As the material is not compatible with autoclaving or ethylene oxide sterilization, GYNECARE INTERCEED Adhesion Barrier must not be resterilized.

Foreign body reactions may occur in some patients.

Interactions may occur between GYNECARE INTERCEED Adhesion Barrier and some drugs used at the surgical site.

Pathologists examining sites of GYNECARE INTERCEED Adhesion Barrier placement should be made aware of its usage and of the normal cellular response to GYNECARE INTERCEED Adhesion Barrier 'to facilitate proper evaluation of specimens'.

ADVERSE REACTIONS

The type and frequency of adverse events reported are consistent with events typically seen following surgery. Postsurgical adhesions may occur in the presence of GYNECARE INTERCEED Adhesion Barrier.

For complete indications, contraindications, warnings, precautions, and adverse reactions, please reference full package insert.

087421-180205







LINX® Reflux Management System

The LINX® Reflux Management System is a laparoscopic, fundic-sparing anti-reflux procedure indicated for patients diagnosed with Gastroesophageal Reflux Disease (GERD) as defined by abnormal pH testing, and who are seeking an alternative to continuous acid suppression therapy (i.e. proton pump inhibitors or equivalent) in the management of their GERD.

Rx Only

Contraindications: Do not implant the LINX Reflux Management System in patients with suspected or known allergies to titanium, stainless steel, nickel, or ferrous materials.

Warnings

The LINX device is considered MR Conditional in a magnetic resonance imaging (MRI) system up to either 0.7 Tesla (0.7T) or 1.5 Tesla (1.5T), depending on the LINX model implanted. Scanning under different condition removed utilizing a laparoscopic technique that does not compromise the option for traditional anti-reflux procedures. It is recommended that patients receiving the LINX device register their implant with the MedicAlert Foundation (www.medicalert.org) or equivalent organization.

Failure to secure the LINX device properly may result in its subsequent displacement and necessitate a second operation.

Laparoscopic placement of the LINX device is major surgery and death can occur.

General Precautions

The LINX device is a long-term implant. Explant (removal) and replacement surgery may be indicated at any time. Management of adverse reactions may include explantation and/or replacement.

The use of the LINX device in patients with a hiatal hernia larger than 3 cm should include hiatal hernia repair to reduce the hernia to less than 3 cm. The LINX device has not been evaluated in patients with an unrepaired hiatal hernia greater than 3 cm.

The safety and effectiveness of the LINX device has not been evaluated in patients with Barrett's esophagus or Grade C or D (LA classification) esophagitis.

The safety and effectiveness of the LINX device has not been evaluated in patients with electrical implants such as pacemakers and defibrillators, or other metallic, abdominal implants.

The safety and effectiveness of the LINX Reflux Management System has not been established for the following conditions:

- Scleroderma
- Suspected or confirmed esophageal or gastric cancer
- Prior esophageal or gastric surgery or endoscopic intervention
- Distal esophageal motility less than 35 mmHg peristaltic amplitude on wet swallows or <70% (propulsive) peristaltic sequences or High Resolution Manometry equivalent, and/or a known motility disorder such as Achalasia, Nutcracker Esophagus, and Diffuse Esophageal Spasm or Hypertensive LES
- Symptoms of dysphagia more than once per week within the last 3 months
- Esophageal stricture or gross esophageal anatomic abnormalities (Schatzki's ring, obstructive lesions, etc.)
- Esophageal or gastric varices
- · Lactating, pregnant or plan to become pregnant
- Morbid obesity (BMI >35)
- Age < 21

Potential Side Effects

Potential adverse events associated with laparoscopic surgery and anesthesia include adverse reaction to anesthesia (headache, muscle pain, nausea), anaphylaxis (severe allergic reaction), cardiac arrest, death, diarrhea, fever, hypotension (low blood pressure), hypoxemia (low oxygen levels in the blood), infection, myocardial infarction, perforation, pneumonia, pulmonary embolism (blood clot in the lung), respiratory distress, and thrombophlebitis (blood clot). Other risks reported after anti-reflux surgery procedures include bloating, nausea, dysphagia (difficulty swallowing), odynophagia (painful swallowing), retching, and vomiting.







Potential risks associated specifically with the LINX Reflux Management System include achalasia (lower part of esophagus does not relax), bleeding, cough, death, decreased appetite, device erosion, device explant/re-operation, device failure, device migration (device does not appear to be at implant site), diarrhea, dyspepsia (indigestion), dysphagia (difficulty swallowing), early satiety (feeling full after eating a small amount of food), esophageal spasms, esophageal stricture, flatulence, food impaction, globus sensation (sensation of a lump in the throat), hiccups, inability to belch or vomit, increased belching, infection, impaired gastric motility, injury to the esophagus, spleen, or stomach, nausea, odynophagia (painful swallowing), organ damage caused by device migration, pain, peritonitis (inflammation of the peritoneum), pneumothorax (collapsed lung), regurgitation, saliva/mucus build-up, stomach bloating, ulcer, vomiting, weight loss, and worsening of preoperative symptoms (including but not limited to dysphagia or heartburn).

101161-181022 © Ethicon, US LLC 2018







SURGICEL Essential Product Information

INDICATIONS

SURGICEL® Absorbable Hemostat (oxidized regenerated cellulose) is used adjunctively in surgical procedures to assist in the control of capillary, venous, and small arterial hemorrhage when ligation or other conventional methods of control are impractical or ineffective. SURGICEL® ORIGINAL, SURGICEL® FIBRILLAR™, SURGICEL® NU-KNIT®, and SURGICEL® SNoW™ Absorbable Hemostats can be cut to size for use in endoscopic procedures.

PRECAUTIONS

Use only as much SURGICEL® Absorbable Hemostat as is necessary for hemostasis, holding it firmly in place until bleeding stops. Remove any excess before surgical closure in order to facilitate absorption and minimize the possibility of foreign body reaction.

In urological procedures, minimal amounts of SURGICEL® Absorbable Hemostat should be used and care must be exercised to prevent plugging of the urethra, ureter, or a catheter by dislodged portions of the product.

Since absorption of SURGICEL® Absorbable Hemostat could be prevented in chemically cauterized areas, its use should not be preceded by application of silver nitrate or any other escharotic chemicals.

If SURGICEL® Absorbable Hemostat is used temporarily to line the cavity of large open wounds, it should be placed so as not to overlap the skin edges. It should also be removed from open wounds by forceps or by irrigation with sterile water or saline solution after bleeding has stopped.

Precautions should be taken in otorhinolaryngologic surgery to assure that none of the material is aspirated by the patient. (Examples: controlling hemorrhage after tonsillectomy and controlling epistaxis.)

Care should be taken not to apply SURGICEL® Absorbable Hemostat too tightly when it is used as a wrap during vascular surgery (see Adverse Reactions section of the complete product package insert).

ADVERSE EVENTS

"Encapsulation" of fluid and foreign body reactions have been reported.

There have been reports of stenotic effect when SURGICEL® Absorbable Hemostat has been applied as a wrap during vascular surgery.

Paralysis and nerve damage have been reported when SURGICEL® Absorbable Hemostat was used around, in, or in proximity to foramina in bone, areas of bony confine, the spinal cord, and/or the optic nerve and chiasm.

Blindness has been reported in connection with surgical repair of a lacerated left frontal lobe when SURGICEL® Absorbable Hemostat was placed in the anterior cranial fossa.

Possible prolongation of drainage in cholecystectomies and difficulty passing urine per urethra after prostatectomy have been reported.

For more information, please consult your doctor or for product quality and technical questions, call 1-800-795-0012. For complete product information including indications, contraindications, warnings, precautions, and adverse reactions, please reference the individual product package inserts.

063768-180827







SURGICEL® Powder Absorbable Hemostat Essential Product Information

INDICATIONS

SURGICEL® Powder (oxidized regenerated cellulose) is used adjunctively in surgical procedures to assist in the control of capillary, venous, and small arterial hemorrhage when ligation or other conventional methods of control are impractical or ineffective. SURGICEL® Powder can also be applied in laparoscopic or other endoscopic procedures when used with the SURGICEL™ Endoscopic Applicator.

The SURGICEL™ Endoscopic Applicator is intended for use in delivering SURGICEL® Powder absorbable hemostat to bleeding surgical sites through a 5 mm or larger trocar.

CONTRAINDICATIONS

- Do not inject or place SURGICEL® Powder into an open blood vessel. Do not use to treat bleeding from large defects in arteries or veins.
- SURGICEL® Powder should not be used to control hemorrhage from large arteries or veins.
- The SURGICEL® Powder and the SURGICEL™ Endoscopic Applicator devices were not designed for intraluminal procedures.
- When SURGICEL® Powder is used to help achieve hemostasis in, around, or in proximity to foramina in bone, areas of bony confine, the spinal cord, or the optic nerve and chiasm, it must always be removed after hemostasis is achieved since it will swell and could exert unwanted pressure.
- SURGICEL® Powder should not be used for implantation in bone defects, such as fractures, since there is a possibility of interference with callus formation and a theoretical chance of cyst formation.

WARNINGS

- SURGICEL® Powder is not intended for use on dry (non-bleeding) surfaces or for prevention of bleeding.
- Closing with SURGICEL® Powder in a contaminated wound without drainage may lead to complications and should be avoided.
- SURGICEL® Powder should not be impregnated with anti-infective agents or with other materials such as buffering or hemostatic substances.
- SURGICEL® Powder is dry and there may be difficulties in precise delivery under certain circumstances. Unintentional device placement may result in powder scattering and device migration that may increase the risk of adhesion formation. In preclinical in vivo animal studies it was demonstrated that SURGICEL® Powder does not increase the incidence of remote adhesions in laparoscopic procedures.
- Although SURGICEL® Powder is bactericidal against a wide range of pathogenic microorganisms, it is not intended as a substitute for systemically administered therapeutic or prophylactic antimicrobial agents to control or to prevent postoperative infections.
- To prevent clogging with the SURGICEL™ Endoscopic Applicator Tip, do not touch the tip to wet surface. Be careful to avoid damaging tissue with the rigid tip.
- Do not attempt to trim the applicator tip. Replace the tip if it becomes clogged.

PRECAUTIONS

- SURGICEL® Powder should not be used in conjunction with autologous blood salvage circuits, because its fragments may pass through the transfusion filters of blood-scavenging systems.
- Use only as much SURGICEL® Powder (oxidized regenerated cellulose) as is necessary and apply only where needed for hemostasis. Remove any excess before surgical closure in order to facilitate absorption and to minimize the possibility of foreign body reaction.
- Use minimal amount of SURGICEL® Powder required to achieve hemostasis, and remove excess powder in the area of drains to prevent clogging. In urological procedures, minimal amounts of SURGICEL® Powder should be used and care must be exercised to prevent plugging of the urethra, ureter, or a catheter by dislodged portions of the product.
- Since absorption of SURGICEL® Powder could be prevented in chemically cauterized areas, its use should not be preceded by application of silver nitrate or any other escharotic chemicals.
- If SURGICEL® Powder is used temporarily to line the cavity of open wounds, it should be removed by irrigation with sterile water or saline solution after bleeding has stopped.
- Precautions should be taken in otorhinolaryngologic surgery to ensure that none of the material is aspirated by the patient (e.g., controlling hemorrhage after tonsillectomy and controlling epistaxis).







- The applicator tip provided on the SURGICEL® Powder device is not intended for laparoscopic or other endoscopic use. If laparoscopic or other endoscopic use is desired, remove the existing applicator tip from the SURGICEL® Powder device, and replace with the SURGICEL™ Endoscopic Applicator tip (supplied separately). In laparoscopic or other endoscopic procedures, SURGICEL® Powder should only be applied using the SURGICEL™ Endoscopic Applicator. Consult the SURGICEL™ Endoscopic Applicator Instructions for Use (IFU) for proper assembly and directions for use with the SURGICEL® Powder device.
- The SURGICEL Endoscopic Applicator is supplied with a flexible inner tip inside a rigid cannula. The rigid cannula cannot be used independently.
- The SURGICEL Endoscopic Applicator should only be used by persons having adequate training and familiarity with endoscopic techniques. Consult medical literature relative to techniques, complications, and hazards prior to performance of any endoscopic procedure.
- To prevent inadvertent device spillage, or unintended contact with tissue, organs, or blood, maintain visualization of the SURGICEL™ Endoscopic Applicator tip at all times.
- Do not compress or excessively bend the flexible inner tip of the SURGICEL Endoscopic Applicator which could obstruct the application of the powder. It is possible that the powder accumulated in the applicator could disperse beyond the target bleeding site upon compression of the bellows, which may require additional irrigation and aspiration.

ADVERSE EVENTS

- Paralysis and nerve damage have been reported when other SURGICEL® products were used around, in, or in proximity to foramina in bone, areas of bony confine, the spinal cord, and/or the optic nerve and chiasm.
- Blindness has been reported in connection with surgical repair of a lacerated left frontal lobe when other SURGICEL® products were placed in the anterior cranial fossa (see WARNINGS and PRECAUTIONS).
- Foreign body reactions have been reported with other products from the SURGICEL® Family of Absorbable Hemostats.
- Burning has been reported when other SURGICEL® products were applied after nasal polyp removal. Headache, burning, stinging, and sneezing in epistaxis and other rhinological procedures, and stinging when SURGICEL® product was applied on surface wounds (varicose ulcerations, dermabrasions, and donor sites) have also been reported.
- For more information and technical questions, call 1-800-795-0012. For complete information including indications, contraindications, warnings, precautions, adverse reactions, and directions for use, consult the product package insert.

071582-190227







SURGIFLO® Hemostatic Matrix Essential Product Information (Made from Absorbable Gelatin Sponge, USP)

DESCRIPTION

SURGIFLO® Hemostatic Matrix Kit is intended for hemostatic use by applying to a bleeding surface.

ACTIONS

When used in appropriate amounts SURGIFLO® Hemostatic Matrix is absorbed completely within 4 to 6 weeks.

INTENDED USE/INDICATIONS

SURGIFLO® Hemostatic Matrix, mixed with with sterile saline or thrombin solution, is indicated in surgical procedures (other than ophthalmic) as an adjunct to hemostasis when control of bleeding by ligature or other conventional methods is ineffective or impractical.

CONTRAINDICATIONS

Do not use SURGIFLO® Hemostatic Matrix in intravascular compartments because of the risk of embolization.

Do not use SURGIFLO® Hemostatic Matrix in patients with known allergies to porcine gelatin...

Do not use SURGIFLO® Hemostatic Matrix in closure of skin incisions because it may interfere with the healing of skin edges. This interference is due to mechanical interposition of gelatin and is not secondary to intrinsic interference with wound healing.

WARNINGS

SURGIFLO® Hemostatic Matrix should not be used in the presence of infection and should be used with caution in contaminated areas of the body.

SURGIFLO® Hemostatic Matrix should not be used in instances of pumping arterial hemorrhage. SURGIFLO® Hemostatic Matrix will not act as a tampon or plug in a bleeding site.

SURGIFLO® Hemostatic Matrix should be removed from the site of application when used in, around, or in proximity to foramina in bone, areas of bony confine, the spinal cord, and/or the optic nerve and chiasm because it may swell resulting in nerve damage.

Excess SURGIFLO® Hemostatic Matrix should be removed once hemostasis has been achieved.

The safety and effectiveness of SURGIFLO® Hemostatic Matrix for use in ophthalmic procedures has not been established.

SURGIFLO® Hemostatic Matrix should not be used for controlling post-partum intrauterine bleeding or menorrhagia.

The safety and effectiveness of SURGIFLO® Hemostatic Matrix has not been established in children and pregnant women.

The blue flexible applicator Tip should not be trimmed to avoid exposing internal guidewire.

The white straight applicator Tip should be trimmed away from the surgical area. Cut a square angle to avoid creating a sharp Tip.

PRECAUTIONS

Safe and effective use of SURGIFOAM® Sponge has been reported in a published neurologic retrospective study involving 1700 cases in Europe. Safe and effective use in neurosurgery has not been proven through randomized, controlled clinical studies in the United States.

SURGIFLO® Hemostatic Matrix is supplied as a sterile product and cannot be resterilized.

SURGIFLO® Hemostatic Matrix should not be used for packing unless excess product that is not needed to maintain hemostasis is removed.

SURGIFLO® Hemostatic Matrix may swell up to 20% upon contact with additional fluid.

SURGIFLO® Hemostatic Matrix should not be used in conjunction with autologous blood salvage circuits.

SURGIFLO® Hemostatic Matrix should not be used in conjunction with methylmethacrylate adhesives.

In urological procedures, SURGIFLO® Hemostatic Matrix should not be left in the renal pelvis or ureters to eliminate the potential foci for calculus formation

ADVERSE EVENTS

A total of 142 patients received SURGIFOAM® Sponge during a clinical trial comparing SURGIFOAM® Sponge to another absorbable gelatin sponge. In general, the following adverse events have been reported with the use of absorbable porcine gelatin-based hemostatic agents:

Gelatin-based hemostatic agents may serve as a nidus for infection and abscess formation and have been reported to potentiate bacterial growth.

Giant cell granulomas have been observed at implant sites when used in the brain.







Compression of the brain and spinal cord resulting from the accumulation of sterile fluid have been observed.

Multiple neurologic events were reported when absorbable gelatin-based hemostatic agents were used in laminectomy operations, including cauda equina syndrome, spinal stenosis, meningitis, arachnoiditis, headaches, paresthesias, pain, bladder and bowel dysfunction, and impotence.

The use of absorbable gelatin-based hemostatic agents during the repair of dural defects associated with laminectomy and craniotomy operations, has been associated with fever, infection, leg paresthesias, neck and back pain, bladder and bowel incontinence, cauda equina syndrome, neurogenic bladder, impotence, and paresis.

The use of absorbable gelatin-based hemostatic agents has been associated with paralysis, due to device migration into foramina in the bone around the spinal cord, and blindness, due to device migration in the orbit of the eye, during lobectomy, laminectomy, and repair of a frontal skull fracture and lacerated lobe.

Foreign body reactions, "encapsulation" of fluid, and hematoma have been observed at implant sites.

Excessive fibrosis and prolonged fixation of a tendon have been reported when absorbable gelatin-based sponges were used in severed tendon repair.

Toxic shock syndrome was reported in association with the use of absorbable gelatin-based hemostats in nasal surgery.

Fever, failure of absorption, and hearing loss have been observed when absorbable hemostatic agents were used during tympanoplasty.







SURGIFLO® Hemostatic Matrix Kit Essential Product Information (Made from Absorbable Gelatin Sponge, USP) with Thrombin

DESCRIPTION

SURGIFLO® with Thrombin (SURGIFLO® Hemostatic Matrix Kit) is intended for hemostatic use by applying to a bleeding surface.

ACTIONS

When used in appropriate amounts SURGIFLO® is absorbed completely within 4 to 6 weeks.

INTENDED USE/INDICATIONS

SURGIFLO®, mixed with thrombin solution, is indicated in surgical procedures (other than ophthalmic) as an adjunct to hemostasis when control of bleeding by ligature or other conventional methods is ineffective or impractical.

CONTRAINDICATIONS

Do not use SURGIFLO® in intravascular compartments because of the risk of embolization.

Do not use SURGIFLO® in patients with known allergies to porcine gelatin.

Do not use SURGIFLO® in closure of skin incisions because it may interfere with the healing of skin edges. This interference is due to mechanical interposition of gelatin and is not secondary to intrinsic interference with wound healing.

WARNINGS

SURGIFLO® should not be used in the presence of infection and should be used with caution in contaminated areas of the body.

SURGIFLO® should not be used in instances of pumping arterial hemorrhage. SURGIFLO® will not act as a tampon or plug in a bleeding site.

SURGIFLO® should be removed from the site of application when used in, around, or in proximity to foramina in bone, areas of bony confine, the spinal cord, and/or the optic nerve and chiasm because it may swell resulting in nerve damage.

Excess SURGIFLO® should be removed once hemostasis has been achieved.

The safety and effectiveness of SURGIFLO® for use in ophthalmic procedures has not been established.

SURGIFLO® should not be used for controlling post-partum intrauterine bleeding or menorrhagia.

The safety and effectiveness of SURGIFLO® has not been established in children and pregnant women.

The blue flexible applicator Tip should not be trimmed to avoid exposing internal guidewire.

The white straight applicator Tip should be trimmed away from the surgical area. Cut a square angle to avoid creating a sharp Tip.

PRECAUTIONS

Safe and effective use of SURGIFOAM® Sponge has been reported in a published neurologic retrospective study involving 1700 cases in Europe. Safe and effective use in neurosurgery has not been proven through randomized, controlled clinical studies in the United States.

SURGIFLO® is supplied as a sterile product and cannot be resterilized.

SURGIFLO® should not be used for packing unless excess product that is not needed to maintain hemostasis is removed.

SURGIFLO® may swell up to 20% upon contact with additional fluid.

SURGIFLO® should not be used in conjunction with autologous blood salvage circuits.

SURGIFLO® should not be used in conjunction with methylmethacrylate adhesives.

In urological procedures, SURGIFLO® should not be left in the renal pelvis or ureters to eliminate the potential foci for calculus formation. SURGIFLO® Hemostatic Matrix Kit Essential Product Information (Made from Absorbable Gelatin Sponge, USP) with Thrombin







ADVERSE EVENTS

A total of 142 patients received SURGIFOAM® Sponge during a clinical trial comparing SURGIFOAM® Sponge to another absorbable gelatin sponge. In general, the following adverse events have been reported with the use of absorbable porcine gelatin-based hemostatic agents:

Gelatin-based hemostatic agents may serve as a nidus for infection and abscess formation and have been reported to potentiate bacterial growth.

Giant cell granulomas have been observed at implant sites when used in the brain.

Compression of the brain and spinal cord resulting from the accumulation of sterile fluid have been observed.

Multiple neurologic events were reported when absorbable gelatin-based hemostatic agents were used in laminectomy operations, including cauda equina syndrome, spinal stenosis, meningitis, arachnoiditis, headaches, paresthesias, pain, bladder and bowel dysfunction, and impotence.

The use of absorbable gelatin-based hemostatic agents during the repair of dural defects associated with laminectomy and craniotomy operations, has been associated with fever, infection, leg paresthesias, neck and back pain, bladder and bowel incontinence, cauda equina syndrome, neurogenic bladder, impotence, and paresis.

The use of absorbable gelatin-based hemostatic agents has been associated with paralysis, due to device migration into foramina in the bone around the spinal cord, and blindness, due to device migration in the orbit of the eye, during lobectomy, laminectomy, and repair of a frontal skull fracture and lacerated lobe.

Foreign body reactions, "encapsulation" of fluid, and hematoma have been observed at implant sites.

Excessive fibrosis and prolonged fixation of a tendon have been reported when absorbable gelatin-based sponges were used in severed tendon repair.

Toxic shock syndrome was reported in association with the use of absorbable gelatin-based hemostats in nasal surgery.

Fever, failure of absorption, and hearing loss have been observed when absorbable hemostatic agents were used during tympanoplasty.

© 2020 Ethicon US, LLC.







VISTASEAL™ Fibrin Sealant (Human) IMPORTANT SAFETY INFORMATION

INDICATION

VISTASEAL™ is indicated as an adjunct to hemostasis for mild to moderate bleeding in adults undergoing surgery when control of bleeding by standard surgical techniques (such as suture, ligature, and cautery) is ineffective or impractical. VISTASEAL is effective in heparinized patients.

CONTRAINDICATIONS

Do not inject directly into the circulatory system.

Do not use for the treatment of severe or brisk arterial bleeding.

Do not use in patients with history of anaphylaxis or severe systemic reactions to human blood products.

Do not use VISTASEAL for spraying unless the minimum recommended distance from the applicator tip to the bleeding site can be achieved.

WARNINGS AND PRECAUTIONS

Thromboembolic events may occur if VISTASEAL is administered intravascularly.

Only spray VISTASEAL if it is possible to accurately judge the distance from the spray tip to the tissue surface.

Hypersensitivity reactions can occur.

May carry a risk of transmitting infectious agents, e.g., viruses, the variant Creutzfeldt-Jakob disease (vCJD) agent and, theoretically, the Creutzfeldt-Jakob disease (CJD) agent.

ADVERSE REACTIONS

The most common adverse reactions (reported in >1% of clinical trial subjects) were nausea and procedural pain.

For complete indications, contraindications, warnings, precautions, and adverse reactions, please reference full package insert.

115517-190529